



AHD

The Blind Factory

Product Catalog | Volume VI

W E L C O M E

To Our Partners and Customers,

The COVID-19 pandemic is affecting every single one of us. This is a challenging time for people and businesses around the globe. While many of us are feeling uncertainty in our lives, I have every confidence that we'll rise up to the challenges this crisis presents and come out stronger on the other side.

The well-being, health, and safety of people remains our top priority. We are doing everything we can to keep our employees and communities safe while we continue to support our customers and do our part to help combat this pandemic.

We are truly grateful for your support and partnership during this time as we all face this unprecedented challenge together.

Because of your continued support and business for 25 years, AHD Blind Factory has been able to prosper and make our success as a company possible.

To showcase our quality products, we at AHD Blind Factory would like to introduce our new catalog to our loyal customers that have ensured our continued growth.



02 | POLY SHUTTERS

08 | PLANTATION WOOD SHUTTERS

16 | HONEYCOMB SHADES

40 | ROLLER SHADES

60 | PHIFER ROLLER SHADES

70 | REVOLVE TRANSITIONAL

82 | SHEER SHADING

94 | WOOD BLINDS

106 | POLY BLINDS

120 | MINI BLINDS

128 | MOTORIZATION SURCHARGES

129 | WARRANTY, GUIDELINES AND REPAIRS

130 | MARKETING TOOLS

131 | ORDERING AND SHIPPING

The Blind, Shade & Shutter Factory
AHD
* PROUDLY MADE IN THE U.S.A.*
Buy American Products & Support the American Economy

POLY SHUTTERS

The next revolution: Poly solid PVC shutters offer a modern alternative to traditional wood window coverings. The insulating construction is moisture and fire resistant, providing greater longevity for the shutters and increased safety for homeowners. Incredibly adaptable for many different types of installations, Poly shutters are especially well-suited in kitchens, bathrooms, and children's bedrooms. The solid component is built durably for a lifetime of beauty.

Poly shutters are very energy efficient. In fact, homeowners often find that poly shutters pay for themselves through reduced heating and air conditioning costs. A perfect choice for the consumer who requires light control, elegance, and privacy.



FEATURES & CONFIGURATIONS

MATERIALS

Solid PVC

AVAILABLE LOUVER SIZES

- 2 1/2"
- 3 1/2"
- 4 1/2"

LIGHT CONTROL

- Full privacy in closed position

AVAILABLE CONFIGURATIONS

- Single Panel
- Hinged Bi-Fold Panels
- Sliding Bi-Fold Panels

DESIGNER FRAMES




Z Frame L1 Frame L2 Frame

BASIC PANEL CONFIGURATION

LOUVER SIZE	2 1/2"	3 1/2"	4 1/2"
MIN. PANEL WIDTH	10"	10"	10"
MAX. PANEL WIDTH	26"	32"	34"
MAX. PANEL HEIGHT WITHOUT MID DIVIDER	60"	66"	75"

SHUTTER ANATOMY




MEASURING INSTRUCTIONS

BASIC GUIDELINES

Before you begin measuring, choose whether the shutters will be an inside mount or outside mount. Inside mount shutters attach and hang inside the window frame. Outside mount shutters hang outside the window opening, either on the trim itself or beyond the trim. Outside mounting can make a window appear larger, or hide unattractive window trim. If the diagonal measurements on your window vary more than 1/4", we suggest using an outside mount.

INSIDE MOUNT




Inside mount for Z, L1, L2 frames and hanging strips

First measure the width of the window opening in three places, order the smallest width.

Next, measure the height of the window opening in three places, order the smallest height.

OUTSIDE MOUNT



Inside mount for frames L1 and L2 frames

First measure the width from the intended outer edge of the shutter frame in three places, order the largest width.

Next, measure the height of the intended outer edge of the shutter frame in three places, order the largest height.

Ultra View tilt option

Introducing Ultra View, an invisible gear system tilt rod control to adjust and control light without having the tilt rod. Cleaner look and exposure. Available on 3 1/2" and 4 1/2" louvers.



Colors

27 of most popular colors as our standard colors . Custom color match is available at \$100 surcharge per color.

HINGES



SURCHARGES

UPGRADES

Refinishing Charge.....	\$8 per square foot
Minimum Charge.....	7 square foot per window
Custom Paint.....	\$100 per color

SPECIALTIES

Double Hung.....	\$10 per panel
Archtop with Hanging Strip.....	Add \$75 per panel
Frame for Archtop.....	\$150
Bypass Sliders.....	Add \$150 per window
Bi-fold Sliders.....	Add \$40 per linear foot
Cut-out Charge.....	\$150 per opening
Hidden Tilt Rod.....	Add 15%
Ultra View Invisible tilt	Add 20%
Recessed Magnet.....	\$8 per panel

Shutter Color Selections.....	\$45
Shutter Collections Book.....	\$100



PLANTATION WOOD SHUTTERS

Details like hand-sanded louvers and fine finishes distinguish our wood collection plantation shutters from others. State of the art machinery not only improves the quality and accuracy, but also allows us to minimize our production time. Our solid wood construction is lighter in weight and more rigid than most composite materials, allowing the capability to manufacture wider, more durable panels that resist warping. These beautiful shutters will bring a warm, traditional look to your space.





FEATURES & CONFIGURATIONS

MATERIALS

Hardwood Construction

AVAILABLE LOUVER SIZES

- 2 1/2"
- 3 1/2"
- 4 1/2"
- 5 1/2"

BASIC PANEL CONFIGURATION

LOUVER SIZE 2 1/2" 3 1/2" 4 1/2"

MIN. PANEL WIDTH 10" 10" 10"

MAX. PANEL WIDTH 30" 35" 36"

MAX. PANEL HEIGHT
WITHOUT MID DIVIDER 65" 75" 85"


LIGHT CONTROL

- Full privacy in closed position


AVAILABLE CONFIGURATIONS

- Single Panel
- Hinged Bi-Fold Panels
- Sliding Bi-Fold Panels
- Double Hung Panels
- Sliding Bypass Panels
- T-post Configurations

DESIGNER FRAMES



SHUTTER ANATOMY



Recessed magnets
for a cleaner look
and better closure.

A. TOP RAIL
3" to 5.25" standard height

B. STILE
1" standard thickness,
rabbeted stiles are standard on
orders with more than one panel

C. LOUVER
Flat or tapered in 2 1/2", 3 1/2", 4 1/2" and 5 1/2"

D. TILT ROD
Made to move easily

E. DIVIDER RAIL
Necessary when shutter
is more than 72" high


F. BOTTOM RAIL
3" to 5.25" standard height

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Before you begin measuring, choose whether the shutters will be an inside mount or outside mount. Inside mount shutters attach and hang inside the window frame. Outside mount shutters hang outside the window opening, either on the trim itself or beyond the trim. Outside mounting can make a window appear larger, or hide unattractive window trim. If the diagonal measurements on your window vary more than 1/4", we suggest using an outside mount.

INSIDE MOUNT




Inside mount for Z, LZ, L1 frames and hanging strips

First measure the width
of the window opening
in three places, order the
smallest width.

Next, measure the height
of the window opening
in three places, order the
smallest height.

OUTSIDE MOUNT




Inside mount for frames L1, L2, L3 and H frames

First measure the width from
the intended outer edge of the
shutter frame in three places,
order the largest width.

Next, measure the height of
the intended outer edge of the
shutter frame in three places,
order the largest height.

CUT-OUTS



Ultra View tilt option

Introducing Ultra View, an invisible gear system tilt rod control to adjust and control light without having the tilt rod. Cleaner look and exposure. Available on 3 1/2" and 4 1/2" louvers.



Colors

27 of most popular paint colors and 10 stain colors as our standard colors . Custom color match is available at \$100 surcharge per color.


HINGES



SPECIALTY SHAPES


Please specify any special requests on your order form. Framed specialty items require an extra 20% surcharge. All specialty items can be routed at no extra charge. Specialty items any length greater than 80" will require a divider rail. All specialties available with horizontal louvers instead of sunburst pattern.

Regarding templates for arched panels; please mail templates to AHD at the time of order placement. Templates must be on brown butcher paper, rolled and shipped in a mailing tube. This procedure keeps the integrity of the actual sizes of the arch sizes and protects the template from damage.



CIRCLE

A classic shape, these shutters offer a moderate louver rotation.



OVAL

Louver tilt is 90 degrees with this product.



RAKE TOP

Adds a finished look to specialty applications.



EYEBROW WITH LEGS

Square sides, with a slight radius to a full radius top. Side louvers have almost full rotation.



HALF CIRCLE SUNBURST

These are true arches with almost total rotation of the louvers.



ELONGATED EYEBROW ARCH

Rotation of louvers is limited on both ends, but offers almost full rotation of the louvers in the center.

	MIN. WIDTH	MIN. LENGTH	MAX. WIDTH	MAX. LENGTH	PAINTED	STAINED	FRAMES	PRICING
CIRCLE	22"	11"	48"	48"	\$24	\$24	+\$150	LINEAR INCH
OVAL	22"	11"	72"	72"	\$18	\$18	+\$150	LINEAR INCH
RAKE TOP	22"	11"	32"	120"	\$75	\$75	+\$150	PER PANEL
HALF CIRCLE SUNBURST	22"	11"	72"	36"	\$14	\$14	+\$150	LINEAR INCH
ELONGATED	22"	11"	72"	48"	\$18	\$18	+\$150	LINEAR INCH
ARCH TOP	22"	11"	32"	120"	\$75	\$75	+\$150	PER PANEL
QUARTER ARCH	22"	11"	60"	60"	\$16	\$16	+\$150	LINEAR INCH

*Template required if not listed in chart.

SURCHARGES

UPGRADES

Refinishing Charge.....	\$8 per square foot
Minimum Charge.....	7 square foot per window
Custom Paint.....	\$100 per color
Custom Stain.....	\$100 per color

SPECIALTIES

Double Hung.....	\$10 per panel
Archtop with Hanging Strip.....	Add \$75 per panel
Frame for Archtop.....	\$150
Bypass Sliders.....	Add \$150 per window
Bi-fold Sliders.....	Add \$40 per linear foot
Cut-out Charge.....	\$150 per opening
Hidden Tilt Rod.....	Add 15%
Ultra View Invisible tilt	Add 20%
Recessed Magnet.....	\$8 per panel



MEASURING INSTRUCTIONS

Shutter Express

Custom made wood Shutters in two colors for fast production.

3 1/2" poplar wood louvers, detailed rail and dividers with a clean look and no mouse hole available in White on White and Nature White.

Fast production time of 7 business day helps sales growth and happier customer.


No specialty, Hidden tilt or cut outs are available for this collection.




BASIC GUIDELINES

Before you begin measuring, choose whether the shutters will be an inside mount or outside mount. Inside mount shutters attach and hang inside the window frame. Outside mount shutters hang outside the window opening, either on the trim itself or beyond the trim. Outside mounting can make a window appear larger, or hide unattractive window trim. If the diagonal measurements on your window vary more than 1/4", we suggest using an outside mount.

INSIDE MOUNT



OUTSIDE MOUNT



Inside mount for LZ, L frames and hanging strips

First measure the width of the window opening in three places, order the smallest width.

Next, measure the height of the window opening in three places, order the smallest height.

Inside mount for frames L1 and L2 frames

First measure the width from the intended outer edge of the shutter frame in three places, order the largest width.


Next, measure the height of the intended outer edge of the shutter frame in three places, order the largest height.

Colors

* White on White

* Nature White

HINGES




HONEYCOMB SHADES

Our Honeycomb Shades are crafted from a plush spun lace fabric, lending a distinctly soft and delicate feel to the hand. Durable and reliable even in intense sunlight, Honeycomb Shades remain consistent to their true, rich colors while offering the same beneficial light filtration, privacy and increased sound absorption properties as other types of honeycomb shades.




A tabbed fabric back creates a uniform look for the exterior of the home and assists crisp pleat retention. Touch, feel and explore: experience the difference of Honeycomb Shades.



OPERATING SYSTEMS

	LIFT & LOCK™ CORDLESS	Eliminates the danger of exposed cords and is easily adjusted by simply lifting or lowering the shade with a gentle push or pull on the bottom rail.
	PREMIUM CORDLESS	Privacy is maintained while allowing natural light in, this shade stacks neatly at the bottom of the window when fully open. This top-down feature provides a unique look to a window.
	MOTORIZED SHADE	Perfect for hard-to-reach windows, motorized shades not only offer convenience, but also eliminate cords for a safer option.
	VERTICAL HONEYCOMB	Side-to-side operation is perfect for sliding doors, room dividers and rectangular windows. Unique design eliminates the danger of cords.
	SKYLIGHT SHADE	Perfect for hard-to-reach skylights and can be paired with motorized system for easy access.
	SPECIALTY ARCHES	Fan-style arches, quarter circles and top-down options for a classic look with added privacy.

CELL SIZES

	STANDARD SHADE	Traditional cord operated Honeycomb Shade that raises from the bottom and stacks at the top for a simple, classic approach.
	CONTINUOUS CORD	A continuous cord loop opens and closes the shade smoothly and evenly. Eliminates the traditional dangling cord, making for a neater appearance. Ideal option for larger shades.
	DAY-NIGHT SHADE	This shade provides a variety of light control and privacy options by a translucent fabric on the top and a blackout fabric on the bottom, connected by a moving rail.
	TOP-DOWN	This shade can be opened from both the top and the bottom. This style is ideal for letting natural light in through the top while preserving privacy below.
	TOP-DOWN/BOTTOM-UP	This shade can be opened from both the top and the bottom. Ideal for letting natural light in through the top while preserving privacy below.
	2-ON-1 HEADRAIL	For very large single windows, or two large windows side by side, this specialty shade provides the appearance of a single shade, with two sections operating independently.

LIGHT CONTROL

Honeycomb shades come in a variety of fabric types that offer different privacy and light control options.



SHEER

- Transmits light with clear view through
- Does not provide privacy
- Available in 3/4", single cell



SEMI SHEER

- Transmits light with limited view through
- Does not provide privacy
- Available in 3/4", single cell



TRANSLUCENT

- Transmits filtered light with no view through
- Provides a moderate amount of privacy
- Available in 3/4", 3/8" and 9/16", single cell and double cell



BLACKOUT

- Blocks 99% of outside light
- Provides complete privacy and light control
- Available in 3/4", 3/8" and 9/16", single cell and double cell



GRAND PLEAT

Select this size for large windows and sliding glass doors.


FABRIC COLLECTIONS



ELEGANCE

Beautiful fabrics that come in an array of fashionable colors. The Shimmer Collection adds a touch of elegance while the Woven Collection offers an upscale look and feel.


	SHEER	SEMI-SHEER	TRANSLUCENT	BLACKOUT
3/4" SHIMMER			●	●
3/4" WOVEN			●	●
3/4" SHEER	●			
3/4" SEMI-SHEER		●		
3/4" SELECT				●
3/4" FLAME RETARDANT			●	●
3/8" FLAME RETARDANT			●	



RADIANCE

Core selection of fabrics with full offering between textures and colors. Full color coordination allows your window covering to blend seamlessly into your room.

	SHEER	SEMI-SHEER	TRANSLUCENT	BLACKOUT
3/4" BRUSHED			●	●
3/4" TEXTURED			●	●
3/8" TEXTURED			●	
1/2" TEXTURED			●	
3/4" CLASSIC			●	●
3/8" CLASSIC			●	●
1/2" CLASSIC			●	
3/4" SATEEN			●	



SOFT TOUCH

This collection provides designer colors from neutral to bold hues while offering varying cell sizes and opacities.

	SHEER	SEMI-SHEER	TRANSLUCENT	BLACKOUT
3/4" ESSENTIALS			●	●
9/16" ESSENTIALS			●	●
1/2" ESSENTIALS			●	●
3/4" LINEN				●
9/16" POINTBOND			●	



GRAND PLEAT

Ideal for large scale windows and sliding doors, the coordination between horizontal and vertical applications allow for consistency within rooms.

	SHEER	SEMI-SHEER	TRANSLUCENT	BLACKOUT
GRAND PLEAT			●	●

MOUNTING REQUIREMENTS

STANDARD RAIL

Minimum Shallow Mounting Surface.....1/2"
Minimum Flush Inside Mounting Surface.....2"
Minimum Outside Mounting Surface.....3/4"

DELUXE RAIL

Minimum Shallow Mounting Surface.....1/2"
Minimum Flush Inside Mounting Surface.....2 1/2"
Minimum Outside Mounting Surface.....3/4"

CORDLESS LIFT SYSTEM

Minimum Shallow Mounting Surface.....3/4"
Minimum Flush Inside Mounting Surface.....2"
Minimum Outside Mounting Surface.....1/2"

CONTINUOUS CORD SYSTEM

Minimum Shallow Mounting Surface.....3/4"
Minimum Flush Inside Mounting Surface.....2"
Minimum Outside Mounting Surface.....1/2"

MOTORIZED LIFT SYSTEM

See page !OO! for details.

FINISHED DIMENSIONS*

INSIDE MOUNT

Headrail will measure ordered width less 3/16"
Fabric will measure ordered width less 3/8"

OUTSIDE MOUNT

Headrail will measure ordered width less 3/16"
Fabric will measure ordered width

EXACT (ENDCAP TO ENDCAP)

Headrail will measure ordered width
Fabric will measure ordered width less 3/16"

*Headrail measurements include endcaps. Width and height measurements may vary +/- 1/8". There is a recommended 48" width limit on shades installed with side mount brackets.

RAIL MEASUREMENTS

STANDARD RAIL

DEPTH 1 7/16"
HEIGHT 1/2"

DELUXE RAIL

DEPTH 1 7/8"
HEIGHT 1/2"

PREMIUM CORDLESS SYSTEM

DEPTH 1 11/16"
HEIGHT 1 5/16"

CONTINUOUS CORD SYSTEM

DEPTH 1 11/16"
HEIGHT 1 5/16"

MOTORIZED LIFT SYSTEM

DEPTH 1 11/16"
HEIGHT 1 5/16"

LIFT & LOCK™ SYSTEM

DEPTH 1 7/8"
HEIGHT 1/2"

STACKING HEIGHTS

STANDARD RECTANGULAR

D06

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T06

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

F17, F27

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T08

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

F08, F28

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T21L

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

F09

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

F15, F25

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

F16, F26

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T03

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T04

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"

T05

DROP	12"	12"	12"	12"	44"
STACK	8"	12"	12"	18"	8"


MEASURING INSTRUCTIONS

BASIC GUIDELINES

Accurate measurements are essential, for both correct pricing and proper fit. Use only a hard-edged ruler or steel tape, never a cloth tape. For inside mounts, width measurements (A) should be rounded down to the nearest 1/8" to prevent blind from binding against the window casing.




INSIDE MOUNT



Use a steel tape to measure the opening width A at three different places, and use the narrowest dimension when ordering. Be exact! The factory will make the shade 3/8" narrower so it will not rub against the window casing. Measure the height B of the window from the top (soffit) down to the sill.

ARCHES




TEMPLATE REQUIRED

For inside mounts, measure the exact width and height inside the window opening.

For outside mounts, measure the desired width and height. Measure the height at its tallest point.


All arch openings can only be for perfect arches where the height will equal one-half of the width.

OUTSIDE MOUNT



Use a steel tape to measure the exact width (A) and height (B) of the area to be covered. It is recommended that the shades overlap the window by at least 1 1/2" on each side. When installation has no sill, allow the shade to overlap the bottom of the window casing by at least 1 1/2". Shade fabric will measure width and height indicated on the order.

QUARTER CIRCLE



TEMPLATE REQUIRED

For inside mounts, measure the exact width and height inside the window opening.

For outside mounts, measure the desired width and height. Measure the height at its tallest point.

For all quarter circles height must equal the width.

SIZE SPECIFICATIONS

MINIMUM & MAXIMUM

	STD.	TD	TDBU	DAY/NIGHT*	2-ON-1	PREMIUM CORDLESS	CORDLESS TDBU	CONT. CORD	CONT. CORD TDBU	LIFT & LOCK™	2-ON-1 CONT. CORD	STD. MOTORIZED	TDBU MOTORIZED	SKYLIGHT MOTORIZED	LONGITUDE**	
ALL COMBO BOOK FABRICS	WIDTH:	12"	12"	12"	12"	44"	18"	18"	22"	24"	18"	44"	19.5"	24"	18"	12"
	HEIGHT:	8"	12"	12"	18"	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"	24"
D06	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	N/A
3/4" SINGLE CELL SEMI-SHEER	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	N/A
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	75	75	24	N/A
F08	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	N/A	N/A
3/8" SINGLE CELL TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	N/A	N/A
	SQ FT:	60	60	40	48/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	90	N/A	N/A
*F09	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	N/A	N/A
3/8" SINGLE CELL BLACKOUT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	N/A	N/A
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	90	N/A	N/A
F15	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	N/A
DOUBLE CELL TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	40	48/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	75	75	24	N/A
F16	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	168"
3/4" SINGLE CELL TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	90	24	140
*F17	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	168"
3/4" SINGLE CELL BLACKOUT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	40	48/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	75	75	24	140
F25	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	N/A
DOUBLE CELL TEXTURED	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	N/A
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	75	75	24	N/A
F26	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	168"
3/4" SINGLE CELL TEXTURED, TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	40	48/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	75	24	140
*F27	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	168"
3/4" SINGLE CELL TEXTURED, BLACKOUT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	75	75	24	140
F28	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	N/A	N/A
3/8" SINGLE CELL TEXTURED, TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	N/A	N/A
	SQ FT:	60	60	40	48/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	90	N/A	N/A
H56	WIDTH:	144"	108"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	48"	168"
3/4" SINGLE CELL TRANSLUCENT	HEIGHT:	120"	120"	108"	96"	120"	84"	84"	120"	120"	84"	120"	108"	108"	72"	120"
	SQ FT:	60	60	30	30/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	90	75	24	140

SIZE SPECIFICATIONS

MINIMUM & MAXIMUM

	STD.	TD	TDBU	DAY/NIGHT*	2-ON-1	PREMIUM CORDLESS	CORDLESS TDBU	CONT. CORD	CONT. CORD TDBU	LIFT & LOCK™	2-ON-1 CONT. CORD	STD. MOTORIZED	TDBU MOTORIZED	SKYLIGHT MOTORIZED	LONGITUDE**		
ALL COMBO BOOK FABRICS	WIDTH:	12"	12"	12"	12"	44"	18"	18"	22"	24"	18"	44"	19.5"	24"	18"	12"	
	HEIGHT:	8"	12"	12"	18"	8"	8"	8"	8"	8"	8"	8"	8"	8"	8"	24"	
T32	WIDTH:	-	-	-	-	-	-	-	-	-	120"	120"	144"	-	98"	-	
GRAND PLEAT TRANSLUCENT	HEIGHT:	-	-	-	-	-	-	-	-	-	84"	84"	120"	-	84"	-	
	SQ FT:	-	-	-	-	-	-	-	-	-	70	70	120	-	56	-	
T37	WIDTH:	-	-	-	-	-	-	-	-	-	120"	120"	132"	-	98"	-	
GRAND PLEAT BLACKOUT	HEIGHT:	-	-	-	-	-	-	-	-	-	84"	84"	120"	-	84"	-	
	SQ FT:	-	-	-	-	-	-	-	-	-	70	70	120	-	56	-	
T03	WIDTH:	144"	72"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	98"	N/A	
9/16" SINGLE CELL TRANSLUCENT	HEIGHT:	120"	96"	96"	96"	120"	84"	84"	120"	120"	84"	120"	84"	84"	98"	N/A	
	SQ FT:	60	48	48	48	60/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	56	56	N/A	N/A
T04	WIDTH:	144"	72"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	98"	N/A	
DOUBLE CELL TRANSLUCENT	HEIGHT:	120"	96"	96"	96"	120"	84"	84"	120"	120"	84"	120"	84"	84"	98"	N/A	
	SQ FT:	60	48	48	48	60/SHADE	60/SHADE	70	70	120	120	70	60/SHADE	56	56	N/A	N/A
T05	WIDTH:	144"	72"	72"	72"	144"	120"	120"	144"	144"	120"	144"	144"	144"	98"</		

ARCH & QUARTER CIRCLE SIZE SPECIFICATIONS

MINIMUM & MAXIMUM

	MOVEABLE ARCH [†]	STATIONARY ARCH [*]	MOVEABLE QUARTER CIRCLE [*]	STATIONARY QUARTER CIRCLE [*]
MINIMUM SIZE (ALL FABRICS)	WIDTH: 18"	18"	9"	9"
	HEIGHT: 9"	9"	9"	9"
MAXIMUM SQ. FT. (ALL FABRICS)	18	18	16	16
MAXIMUM SIZE (FABRIC SPECIFIC)				
D06 3/4" SINGLE CELL SEMI-SHEER	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F08 3/8" SINGLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F09 3/8" SINGLE CELL BLACKOUT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F15 DOUBLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F16 3/4" SINGLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F17 3/4" SINGLE CELL BLACKOUT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F25 DOUBLE CELL TEXTURED	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F26 3/4" SINGLE CELL TEXTURED, TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F27 3/4" SINGLE CELL TEXTURED, BLACKOUT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
F28 3/8" SINGLE CELL TEXTURED, TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
H56 3/4" SINGLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
T03 9/16" SINGLE CELL, TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"

	MOVEABLE ARCH [†]	STATIONARY ARCH [*]	MOVEABLE QUARTER CIRCLE [*]	STATIONARY QUARTER CIRCLE [*]
MINIMUM SIZE (ALL FABRICS)	WIDTH: 18"	18"	9"	9"
	HEIGHT: 9"	9"	9"	9"
MAXIMUM SQ. FT. (ALL FABRICS)	18	18	16	16
MAXIMUM SIZE (FABRIC SPECIFIC)				
T04 DOUBLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
T05 3/4" SINGLE CELL TRANSLUCENT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
T06 9/16" SINGLE CELL BLACKOUT	WIDTH: 72"	72"	48"	48"
	HEIGHT: 36"	36"	48"	48"
T08 3/4" SINGLE CELL, BLACKOUT				
T21L 3/4" SINGLE CELL, BLACKOUT				

[†]**MOVEABLE ARCHES:** Only available as a Perfect Arch: height is 1/2 of width.

^{*}**STATIONARY ARCHES:** A template is required for all imperfect arches.

^{*}**QUARTER CIRCLES:** The height must equal the width.





PRICE GUIDE | 1A

9/16" SINGLE CELL POINTBOND TRANSLUCENT (TO1)

	WIDTH													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
LENGTH	36"	386	436	494	555	614	670	726	778	839	964	1084	1213	1361
	42"	413	469	536	608	670	732	799	860	925	1063	1200	1345	1507
	48"	440	509	581	655	726	796	865	941	1013	1162	1315	1473	1649
	54"	467	541	624	701	779	857	932	1022	1098	1262	1430	1602	1796
	60"	501	576	669	749	834	923	1006	1097	1183	1362	1541	1727	1935
	66"	530	614	710	800	895	988	1074	1174	1268	1458	1659	1857	2082
	72"	557	646	749	851	949	1048	1150	1254	1352	1558	1776	1989	2227
	78"	581	681	789	894	1010	1109	1220	1329	1439	1657	1884	2112	2365
	84"	603	711	830	941	1059	1164	1280	1395	1509	1740	1985	2222	2490
	90"	631	747	868	988	1112	1230	1346	1474	1600	1846	2094	2346	2628
	96"	655	776	903	1031	1161	1283	1412	1542	1671	1930	2199	2463	2759
	108"	711	841	987	1124	1269	1407	1547	1692	1833	2119	2412	2704	3028
	120"	759	908	1067	1220	1382	1531	1684	1843	1994	2307	2626	2942	3297

ARCHES AND QUARTER CIRCLES

WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH	402	460	525	599	719	820	930
STATIONARY QUARTER CIRCLE	524	599	684	779	887	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES



PRICE GUIDE | 2A

9/16" SINGLE CELL TRANSLUCENT (T03) | 3/4" SINGLE CELL TRANSLUCENT (T05)
3/4" SINGLE CELL TRANSLUCENT (F56) | 3/4" SINGLE CELL TRANSLUCENT (H56)

	WIDTH												
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	476	536	609	685	757	824	896	957	1034	1187	1336	1494	1674
42"	508	581	662	748	824	901	983	1061	1140	1309	1481	1658	1857
48"	543	627	715	807	896	980	1065	1158	1248	1432	1619	1813	2033
54"	575	666	769	864	962	1056	1151	1259	1355	1553	1761	1972	2211
60"	615	709	823	923	1026	1137	1240	1351	1457	1677	1898	2128	2382
66"	652	757	875	986	1101	1217	1325	1448	1561	1799	2043	2289	2565
72"	686	796	923	1045	1171	1292	1415	1545	1668	1920	2186	2451	2746
78"	715	841	972	1098	1241	1366	1504	1638	1776	2041	2323	2601	2914
84"	743	877	1021	1158	1305	1434	1578	1721	1860	2143	2444	2738	3066
90"	778	920	1071	1217	1369	1514	1660	1814	1971	2273	2580	2891	3238
96"	807	956	1114	1271	1431	1581	1741	1901	2058	2378	2709	3036	3401
108"	877	1037	1214	1385	1565	1731	1903	2082	2259	2609	2973	3330	3730
120"	939	1120	1315	1504	1700	1888	2075	2269	2456	2841	3237	3626	4061

ARCHES AND QUARTER CIRCLES

WIDTH 24" 30" 36" 42" 48" 54" 60"

STATIONARY ARCH 497 567 646 739 885 1011 1147

STATIONARY QUARTER CIRCLE 645 739 828 927 1040 - -

MOTORIZATION OPTIONS

Standard Motor.....\$160
 Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES



PRICE GUIDE | 3A

3/8" SINGLE CELL TRANSLUCENT (F08) | 1/2" DOUBLE CELL (F15)
3/4" SINGLE CELL TRANSLUCENT (F16) | 1/2" DOUBLE CELL TEXTURED (F25)

WIDTH 24" 30" 36" 42" 48" 54" 60" 66" 72" 84" 96" 108" 120"

LENGTH 36" 476 536 609 685 757 824 896 957 1034 1187 1336 1494 1674

42" 508 581 662 748 824 901 983 1061 1140 1309 1481 1658 1857

48" 543 627 715 807 896 980 1065 1158 1248 1432 1619 1813 2033

54" 575 666 769 864 962 1056 1151 1259 1355 1553 1761 1972 2211

60" 615 709 823 923 1026 1137 1240 1351 1457 1677 1898 2128 2382

66" 652 757 875 986 1101 1217 1325 1448 1561 1799 2043 2289 2565

72" 686 796 923 1045 1171 1292 1415 1545 1668 1920 2186 2451 2746

78" 715 841 972 1098 1241 1366 1504 1638 1776 2041 2323 2601 2914

84" 743 877 1021 1158 1305 1434 1578 1721 1860 2143 2444 2738 3066

90" 778 920 1071 1217 1369 1514 1660 1814 1971 2273 2580 2891 3238

96" 807 956 1114 1271 1431 1581 1741 1901 2058 2378 2709 3036 3401

108" 877 1037 1214 1385 1565 1731 1903 2082 2259 2609 2973 3330 3730

120" 939 1120 1315 1504 1700 1888 2075 2269 2456 2841 3237 3626 4061

ARCHES AND QUARTER CIRCLES

WIDTH 24" 30" 36" 42" 48" 54" 60"

STATIONARY ARCH 497 567 646 739 885 1011 1147

STATIONARY QUARTER CIRCLE 645 739 828 927 1040 - -

MOTORIZATION OPTIONS

Standard Motor.....\$160
 Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 4A

1/2" DOUBLE CELL (T04) | 3/4" SINGLE CELL TRANSLUCENT (F26)
3/8" SINGLE CELL TEXTURED TRANSLUCENT (F28)

	WIDTH												
LENGTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	476	536	609	685	757	824	896	957	1034	1187	1336	1494	1674
42"	508	581	662	748	824	901	983	1061	1140	1309	1481	1658	1857
48"	543	627	715	807	896	980	1065	1158	1248	1432	1619	1813	2033
54"	575	666	769	864	962	1056	1151	1259	1355	1553	1761	1972	2211
60"	615	709	823	923	1026	1137	1240	1351	1457	1677	1898	2128	2382
66"	652	757	875	986	1101	1217	1325	1448	1561	1799	2043	2289	2565
72"	686	796	923	1045	1171	1292	1415	1545	1668	1920	2186	2451	2746
78"	715	841	972	1098	1241	1366	1504	1638	1776	2041	2323	2601	2914
84"	743	877	1021	1158	1305	1434	1578	1721	1860	2143	2444	2738	3066
90"	778	920	1071	1217	1369	1514	1660	1814	1971	2273	2580	2891	3238
96"	807	956	1114	1271	1431	1581	1741	1901	2058	2378	2709	3036	3401
108"	877	1037	1214	1385	1565	1731	1903	2082	2259	2609	2973	3330	3730
120"	939	1120	1315	1504	1700	1888	2075	2269	2456	2841	3237	3626	4061

ARCHES AND QUARTER CIRCLES

	WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH		497	567	646	739	885	1011	1147
STATIONARY QUARTER CIRCLE		645	739	828	927	1040	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES





PRICE GUIDE | 5A

9/16" SINGLE CELL BLACKOUT (T06) | 3/4" SINGLE CELL BLACKOUT (T08)
3/4" SINGLE CELL BLACKOUT (D07) | 3/4" SINGLE CELL TRANSLUCENT (F36)
3/4" SINGLE CELL BLACKOUT (T21) | 3/4" SINGLE CELL BLACKOUT (T21L)

LENGTH	WIDTH												
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	551	623	688	773	843	925	996	1089	1149	1317	1496	1653	1807
42"	596	669	754	847	931	1037	1114	1214	1297	1484	1682	1860	2033
48"	638	704	817	912	1011	1108	1214	1317	1413	1603	1838	2028	2226
54"	675	754	865	974	1093	1195	1306	1415	1523	1736	1987	2197	2417
60"	711	796	926	1044	1160	1275	1404	1518	1636	1866	2140	2361	2605
66"	740	846	972	1110	1232	1366	1485	1624	1740	1992	2283	2539	2786
72"	769	884	1017	1160	1292	1429	1558	1699	1824	2100	2400	2668	2932
78"	806	925	1067	1224	1366	1508	1647	1805	1937	2223	2543	2839	3119
84"	839	972	1127	1275	1437	1587	1739	1896	2051	2349	2697	2994	3303
90"	874	1005	1180	1340	1505	1666	1828	1992	2150	2470	2842	3161	3486
96"	907	1050	1230	1399	1580	1740	1914	2091	2265	2595	2990	3320	3675
108"	971	1142	1337	1530	1716	1912	2097	2292	2473	2858	3283	3657	4034
120"	1027	1214	1415	1633	1876	2036	2232	2453	2651	3057	3510	3929	4330

ARCHES AND QUARTER CIRCLES

WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH	497	567	646	739	885	1011	1147
STATIONARY QUARTER CIRCLE	645	739	828	927	1040	-	-


MOTORIZATION OPTIONS

Standard Motor.....\$160
 Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES





PRICE GUIDE | 6A

3/4" SINGLE CELL BLACKOUT (F27) | 1/2" DOUBLE CELL BLACKOUT (T23)
3/4" SINGLE CELL TRANSLUCENT (D13, D14, D15) | GRAND PLEAT TRANSLUCENT (T32)

	WIDTH													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	
LENGTH	36"	579	654	722	812	885	971	1046	1143	1206	1383	1571	1736	1897
	42"	626	702	792	889	978	1089	1170	1275	1362	1558	1766	1953	2135
	48"	670	739	858	958	1062	1163	1275	1383	1484	1683	1930	2129	2337
	54"	709	792	908	1023	1148	1255	1371	1486	1599	1823	2086	2307	2538
	60"	747	836	972	1096	1218	1339	1474	1594	1718	1959	2247	2479	2735
	66"	777	888	1021	1166	1294	1434	1559	1705	1827	2092	2397	2666	2925
	72"	807	928	1068	1218	1357	1500	1636	1784	1915	2205	2520	2801	3079
	78"	846	971	1120	1285	1434	1583	1729	1895	2034	2334	2670	2981	3275
	84"	881	1021	1183	1339	1509	1666	1826	1991	2154	2466	2832	3144	3468
	90"	918	1055	1239	1407	1580	1749	1919	2092	2258	2594	2984	3319	3660
	96"	952	1103	1292	1469	1659	1827	2010	2196	2378	2725	3140	3486	3859
	108"	1020	1199	1404	1607	1802	2008	2202	2407	2597	3001	3447	3840	4236
	120"	1078	1275	1486	1715	1970	2138	2344	2576	2784	3210	3686	4125	4547

ARCHES AND QUARTER CIRCLES

WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH	497	567	646	739	885	1011	1147
STATIONARY QUARTER CIRCLE	645	739	828	927	1040	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160
 Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES





PRICE GUIDE | 7A

3/4" SINGLE CELL SEMI-SHEER (D06) | 3/4" SINGLE CELL FR BLACKOUT (D16)

3/4" SINGLE CELL FR TRANSLUCENT (D20) | 3/8" SINGLE CELL BLACKOUT (F09)

3/4" SINGLE CELL BLACKOUT (F17) | 3/4" SINGLE CELL BLACKOUT (F37)

3/4" SINGLE CELL BLACKOUT (G23, G24, G25) | GRAND PLEAT BLACKOUT (T37)

	WIDTH												
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
LENGTH	608	687	758	853	929	1020	1098	1200	1266	1452	1650	1823	1992
36"	657	737	832	933	1027	1143	1229	1339	1430	1636	1854	2051	2242
42"	704	776	901	1006	1115	1221	1339	1452	1558	1767	2027	2235	2454
48"	744	832	953	1074	1205	1318	1440	1560	1679	1914	2190	2422	2665
54"	784	878	1021	1151	1279	1406	1548	1674	1804	2057	2359	2603	2872
60"	816	932	1072	1224	1359	1506	1637	1790	1918	2197	2517	2799	3071
66"	847	974	1121	1279	1425	1575	1718	1873	2011	2315	2646	2941	3233
72"	888	1020	1176	1349	1506	1662	1815	1990	2136	2451	2804	3130	3439
78"	925	1072	1242	1406	1584	1749	1917	2091	2262	2589	2974	3301	3641
84"	964	1108	1301	1477	1659	1836	2015	2197	2371	2724	3133	3485	3843
90"	1000	1158	1357	1542	1742	1918	2111	2306	2497	2861	3297	3660	4052
96"	1071	1259	1474	1687	1892	2108	2312	2527	2727	3151	3619	4032	4448
108"	1132	1339	1560	1801	2069	2245	2461	2705	2923	3371	3870	4331	4774
120"													

ARCHES AND QUARTER CIRCLES

	WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH		497	567	646	739	885	1011	1147
STATIONARY QUARTER CIRCLE		645	739	828	927	1040	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160

Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES



PRICE GUIDE | 8A

3/4" SINGLE CELL SHEER (D08) | 3/4" SINGLE CELL SHEER (D09)

3/8" SINGLE CELL FR TRANSLUCENT (D21)

LENGTH	WIDTH	3/4" SINGLE CELL SHEER (D08) 3/4" SINGLE CELL SHEER (D09)												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	24"	781	883	974	1095	1196	1313	1412	1545	1629	1867	2121	2343	2562
42"	24"	845	948	1068	1202	1321	1471	1579	1720	1838	2103	2385	2637	2881
48"	24"	905	996	1158	1295	1433	1571	1720	1867	2004	2272	2605	2874	3155
54"	24"	956	1068	1227	1382	1549	1694	1852	2007	2158	2460	2817	3112	3425
60"	24"	1009	1129	1314	1479	1644	1807	1990	2153	2318	2644	3033	3348	3694
66"	24"	1049	1200	1380	1573	1745	1937	2104	2302	2466	2823	3236	3598	3949
72"	24"	1089	1254	1442	1644	1830	2027	2208	2408	2585	2978	3402	3782	4157
78"	24"	1142	1313	1513	1736	1937	2138	2335	2559	2747	3151	3606	4025	4422
84"	24"	1189	1380	1597	1807	2037	2249	2464	2688	2907	3330	3823	4242	4682
90"	24"	1237	1425	1673	1898	2134	2361	2591	2823	3048	3501	4029	4480	4941
96"	24"	1286	1487	1742	1983	2241	2466	2713	2963	3211	3678	4238	4705	5209
108"	24"	1376	1619	1894	2169	2432	2710	2973	3249	3505	4051	4654	5184	5718
120"	24"	1455	1720	2007	2314	2661	2886	3166	3478	3758	4331	4976	5570	6138

ARCHES AND QUARTER CIRCLES

	WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH		518	588	667	760	906	1032	1168
STATIONARY QUARTER CIRCLE		666	760	849	948	1060	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES



PRICE GUIDE | 9A

3/4" SINGLE CELL WOVEN TRANSLUCENT (G03)

3/4" SINGLE CELL WOVEN BLACKOUT (G04)

LENGTH	WIDTH	3/4" SINGLE CELL WOVEN TRANSLUCENT (G03)												
		24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"
36"	24"	977	1105	1219	1369	1495	1639	1765	1931	2036	2333	2651	2930	3201
42"	24"	1057	1185	1337	1503	1651	1838	1974	2151	2297	2629	2981	3294	3602
48"	24"	1132	1246	1448	1618	1791	1964	2151	2333	2505	2841	3257	3593	3945
54"	24"	1196	1337	1534	1726	1937	2117	2315	2507	2697	3074	3521	3890	4282
60"	24"	1260	1411	1641	1850	2055	2259	2487	2690	2898	3305	3792	4185	4616
66"	24"	1313	1500	1723	1967	2182	2421	2631	2878	3083	3529	4045	4498	4936
72"	24"	1362	1568	1804	2055	2288	2533	2760	3010	3232	3722	4254	4727	5195
78"	24"	1429	1639	1892	2169	2421	2672	2918	3198	3432	3940	4507	5030	5527
84"	24"	1486	1723	1997	2259	2547	2812	3081	3360	3634	4162	4780	5304	5853
90"	24"	1547	1781	2091	2374	2667	2953	3239	3529	3810	4375	5036	5601	6177
96"	24"	1608	1859	2178	2478	2800	3083	3393	3704	4012	4598	5297	5882	6511
108"	24"	1720	2024	2367	2712	3040	3387	3717	4061	4382	5064	5817	6481	7148
120"	24"	1820	2151	2507	2893	3326	3608	3956	4347	4699	5416	6220	6963	7673

ARCHES AND QUARTER CIRCLES

	WIDTH	24"	30"	36"	42"	48"	54"	60"
STATIONARY ARCH		518	588	667	760	906	1032	1168
STATIONARY QUARTER CIRCLE		666	760	849	948	1060	-	-

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$50

SWATCHES



ROLLER SHADES

The classic simplicity of roller shades has led to their status as a long standing favorite among window coverings. At AHD, we have updated the classic standard of these quality custom shades with new fashion fabrics, streamlined mechanisms and specialized sun control products.

Our Roller Shades offer a modern look to your interior while the simple function makes them a breeze to operate. With so many patterns and textures, Roller Shades are the perfect option for adding style and energy efficiency to your room.



OPERATING SYSTEMS



CORDLESS

A semi-automated option with an adjustable rate of speed, the Cordless system raises and lowers the shade to the desired height with a slight tug on the bottom rail.



MOTORIZED SHADE

Our motorization system allows you to easily and conveniently close or open shades all with the touch of a button all while offering enhanced child and pet safety.



POWERWAND

Powerwand is a battery operated, motorized system that is easily installed and operated. Powerwand's touch button control is a easy to use cord free option.




STANDARD CLUTCH

A continuous chain mechanism is used for easy control that locks the shade at desired height. This option requires less force to lift heavy shades and ensures smooth operation.

DESIGN SPECIFICATIONS

CASSETTES & FASCIAS

Our cassette and fascia options are the perfect choice for a clean, polished look.



CASSETTE

A traditional option, the cassette is rounded and covers the roller and brackets for a clean, coordinated look. An optional fabric insert offers even more design control.

LIGHT CONTROL

Our fabrics allow varying degrees of light into your room, depending on the pattern you choose. Some sheer and screen fabrics allow full light access to your room during the day while blackout pattern options keep your room dark and block most of the outside light. Consider desired opacity level when choosing your fabric.

SHEER/SCREEN


- Gently filters light and reduces glare

BLACKOUT

- Eliminates light and keeps room dark

FABRIC ORIENTATION

The fabrics used to make roller shades are of a limited width (see individual price guides).



STANDARD ORIENTATION

Shades that are ordered within the maximum width of the fabric will be made with the fabric vertically oriented.



TURNED WIDTH FOR HEIGHT

Shades that are ordered wider than the maximum fabric width available will be made with the fabric turned width for height - horizontally oriented.



LARGE SHADES

Shades ordered larger than the maximum fabric width will be made with a visible seam. This only applies to fabrics that can be turned width for height (railroaded).

SIZE STANDARDS*

NORMAL FABRIC ORIENTATION

MINIMUM WIDTH	12"
MAXIMUM HEIGHT	120"
MAXIMUM WIDTH	(depends on fabric) 72" TO 118"

TURNED WIDTH FOR HEIGHT

MINIMUM WIDTH	12"
MAXIMUM HEIGHT	(120" with visible seam) 64"
MAXIMUM WIDTH	121"

*If possible, when a wide shade is ordered, all shades in the order made with the same fabric will be cut width for height for the best possible match.

STANDARD FACTORY DEDUCTIONS*

All allowances are taken from ordered dimensions and may vary slightly by fabricator.

INSIDE MOUNT FABRIC

ordered width less 1 1/8"

OUTSIDE MOUNT

ordered width

*If you need help determining which size clutch will be used on your shades, please contact your fabricator.

STANDARD MOUNTING REQUIREMENTS

MINIMUM MOUNT DEPTH	5/8"
FLUSH MOUNT	2"
MINIMUM FLAT VERTICAL SURFACE	5/8"x1 3/8"

SHADE HEIGHT

ordered height

Mounting Requirements

INSTALLATION BRACKETS

Traditional brackets are used without the cassette. These brackets come with a custom flag locking mechanism to ensure a sturdy hold on your shade. Cassette brackets are spring clips which provide the option of a mount from the top or back of the cassette. Fascia brackets are box brackets.

INSIDE BRACKET MOUNTS*

MINIMUM MOUNTING DEPTH	1 1/2"
MINIMUM MOUNTING DEPTH (FLUSH MOUNT)	2 1/2"

*Add 1" for shades over 26 square feet.

OUTSIDE BRACKET MOUNTS*

MINIMUM MOUNTING DEPTH	1"
------------------------	----

*For flat, vertical surface.

MOUNTING BRACKETS

SHADE WIDTH	# OF BRACKETS
18" to 40"	2
40" to 72 1/4"	3
72 1/4" to 96"	4
2 ON 1	4

2" CLUTCH

INSIDE MOUNT FABRIC	ordered width less 1 3/8"
---------------------	---------------------------

INSIDE MOUNT PROFILE

ordered width less 1/2"

OUTSIDE MOUNT

ordered width

SHADE HEIGHT

ordered height

FACTORY DEDUCTIONS WITH CASSETTE

INSIDE MOUNT FABRIC
ordered width less 1 1/8"

INSIDE MOUNT PROFILE

ordered width less 1 1/2"

OUTSIDE MOUNT

ordered width

1 1/2" CLUTCH

INSIDE MOUNT FABRIC

ordered width less 1 1/4"

INSIDE MOUNT PROFILE

ordered width less 1/2"

OUTSIDE MOUNT

ordered width

2" CLUTCH

INSIDE MOUNT FABRIC

ordered width less 1 3/8"

INSIDE MOUNT PROFILE

ordered width less 1/2"

OUTSIDE MOUNT

ordered width

OUTSIDE MOUNT

ordered width

MOUNTING REQUIREMENTS WITH CASSETTE

MINIMUM MOUNT DEPTH 2 1/4"
FLUSH MOUNT 4"

MINIMUM FLAT VERTICAL SURFACE 3 3/4"

FACTORY DEDUCTIONS WITH FASCIA

INSIDE MOUNT FABRIC
ordered width less 1 1/4"

INSIDE MOUNT PROFILE
ordered width less 1/2"

OUTSIDE MOUNT
ordered width

INSIDE MOUNT PROFILE

ordered width less 1/2"

OUTSIDE MOUNT
ordered width

OUTSIDE MOUNT

ordered width

SHADE HEIGHT

ordered height

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Measuring for Roller Shades is similar to measuring for most window coverings. Follow these basic guidelines to ensure a smooth installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary and record your measurements on a worksheet.


INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the shade fits within the window opening or overlaps the window opening. With inside mounts, note that the shade fabric will be about 1 1/4" narrower than the window opening, so if complete privacy and light control is desired, drapery side panels should be installed over the shade.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".

INSIDE MOUNT



OUTSIDE MOUNT



A. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8". This measurement is the ordering width of the shade. Do not make any deductions from this width - all necessary deductions will be made automatically when the shade is fabricated.

B. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.

C. Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement. Again, make no deductions. All necessary deductions will be made when the shade is fabricated.

D. Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

E. Measure depth of window for mounting brackets.





PRICE GUIDE | 1A


CLASSIC TIMELESS (72") | LUMEN (94") | SCALA BLACKOUT (110") | TENLEY (98")

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	98"
LENGTH	36"	117	132	151	170	184	197	214	231	269	306	352	363	375
42"	120	137	156	175	193	205	223	243	281	317	366	401	433	
48"	124	140	162	182	198	214	232	253	292	330	379	418	450	
54"	126	143	167	188	207	221	243	264	304	343	395	433	469	
60"	131	149	172	195	215	230	251	274	316	355	409	449	487	
66"	134	152	178	202	220	239	261	286	327	368	423	465	501	
72"	137	157	182	207	229	246	270	295	338	379	437	478	518	
78"	140	162	188	215	238	255	279	306	351	392	450	495	536	
84"	142	165	194	220	243	264	289	317	362	403	465	513	552	
90"	147	170	198	227	251	273	299	327	373	414	475	523	566	
96"	150	173	203	233	257	279	308	338	384	428	493	542	586	
102"	154	178	208	240	265	289	317	349	396	442	506	559	602	
108"	156	182	215	246	273	296	326	360	407	453	521	574	620	
114"	159	186	219	251	279	305	336	369	419	467	537	590	637	
120"	164	189	226	259	288	314	346	380	429	477	549	606	654	

MOTORIZATION OPTIONS

- AHD Standard Motor.....\$125
- Somfy Standard Motor.....\$220
- Remote Control*.....\$80

SWATCHES





SWATCHES

PRICE GUIDE | 2A

OSLO (110") | REGAL (118") | VENICE (110") | TENLEY BLACKOUT (118") | HARALD (82")

NORDICSCREEN + BW 1%, 3%, 5%, 10% (118") | NORDICSCREEN + TWILL 1%, 3% (118")

MOJAVE (90") | SHINE (83")


LENGTH	WIDTH												
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	98"
36"	120	138	157	178	193	205	225	243	281	315	349	394	427
42"	124	140	162	181	198	212	231	251	290	326	357	402	435
48"	126	143	166	187	204	219	239	261	300	335	365	410	443
54"	128	148	170	193	211	226	246	269	308	342	376	418	455
60"	133	151	174	198	217	232	254	277	319	354	384	427	467
66"	135	155	179	203	223	240	262	287	327	363	394	435	475
72"	138	158	183	207	229	246	269	295	337	371	404	444	484
78"	141	162	187	214	233	253	277	302	347	380	413	452	492
84"	142	165	193	218	241	261	286	311	355	388	423	461	501
90"	147	169	196	225	246	266	292	320	364	396	431	472	510
96"	149	172	201	229	253	273	300	328	373	404	439	480	517
102"	151	175	204	233	259	279	308	337	382	413	447	489	525
108"	163	184	210	239	265	284	319	349	389	423	456	498	534
114"	165	187	215	242	272	289	324	354	396	432	467	506	545
120"	167	192	218	248	277	295	331	360	401	444	484	529	562

MOTORIZATION OPTIONS

AHD Standard Motor.....\$125

Somfy Standard Motor.....\$220

Remote Control*.....\$80




OSLO WHITE OSLO TUSK OSLO KONA OSLO SILVER OSLO STORM OSLO COAL REGAL CHALK REGAL SANDSTONE REGAL TAWNY REGAL PEWTER REGAL OBSIDIAN VENICE WHITE




VENICE ECRU VENICE PEARL VENICE PEBBLE VENICE ESPRESSO TENLEY BLACKOUT ALABASTER TENLEY BLACKOUT VANILLA TENLEY BLACKOUT CREAM TENLEY BLACKOUT LINEN TENLEY BLACKOUT CAMEL TENLEY BLACKOUT SLATE TENLEY BLACKOUT MINT TENLEY BLACKOUT DENIM



NORDICSCREEN + BW 1%, 3%, 5% WHITE/WHITE NORDICSCREEN + BW 1%, 3%, 5% WHITE/WHITE-PEARL NORDICSCREEN + BW 1%, 3%, 5% WHITE/LINEN NORDICSCREEN + BW 1%, 3%, 5% WHITE/SAND NORDICSCREEN + BW 1%, 3%, 5% SABLE/ASH-PEARL NORDICSCREEN + BW 1%, 3%, 5% SABLE/SHALE NORDICSCREEN + BW 1%, 3%, 5% ASH/TAN-STONE NORDICSCREEN + BW 1%, 3%, 5% WHITE/GREY NORDICSCREEN + BW 1%, 3%, 5% BLACK/PEARL NORDICSCREEN + BW 1%, 3%, 5% MIDNIGHT/TAN-STONE NORDICSCREEN + BW 1%, 3%, 5% MIDNIGHT/MAGNETIC-STONE NORDICSCREEN + BW 1%, 3%, 5% BLACK/BLACK




NORDICSCREEN + BW 10% WHITE/WHITE NORDICSCREEN + BW 10% WHITE/LINEN NORDICSCREEN + BW 10% WHITE/SAND NORDICSCREEN + BW 10% BLACK/BROWN NORDICSCREEN + BW 10% BLACK/BLACK NORDICSCREEN + TWILL 1%, 3% WHITE/WHITE NORDICSCREEN + TWILL 1%, 3% WHITE/LINEN NORDICSCREEN + TWILL 1%, 3% WHITE/SAND NORDICSCREEN + TWILL 1%, 3% WHITE/BROWN NORDICSCREEN + TWILL 1%, 3% WHITE/BLACK NORDICSCREEN + TWILL 1%, 3% BLACK/PEARL NORDICSCREEN + TWILL 1%, 3% BLACK/BROWN



NORDICSCREEN + TWILL 1%, 3% BLACK/BLACK HARALD BLACK HARALD BLUE HARALD BROWN HARALD GRAY HARALD SLATE BLUE HARALD WHITE MOJAVE BARK MOJAVE BEIGE MOJAVE CHARCOAL MOJAVE DRIFTWOOD MOJAVE MOCHA



MOJAVE SAND MOJAVE SEA MIST OSLO BLACKOUT WHITE OSLO BLACKOUT TUSK OSLO BLACKOUT KONA OSLO BLACKOUT SILVER OSLO BLACKOUT STORM OSLO BLACKOUT COAL PALETTE AMAZON PALETTE BURNT ORANGE PALETTE DUSK PALETTE FOG



PALETTE GREEN PALETTE ORCHID PALETTE RED CURRANT SHINE SILVER



PRICE GUIDE | 3A


**FINELINE (94") | KANELA (94") | KIANA (94") | KIRTANA (118") | LINEN LIGHT (94")
LINENWEAVE (78") | MACAU (94") | MALACCA (94") | TINSEL (106") | BONNY (82")
LINEN LIGHT BLOCKOUT (94") | MALACCA BLACKOUT (94") | NARDO (83")**


LENGTH	WIDTH																	
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	118"	
36"	124	141	164	184	203	218	239	259	299	338	407	423	440	423	439	454	467	
42"	128	147	170	194	212	229	250	273	315	354	427	445	462	446	463	479	494	
48"	133	152	178	202	221	241	263	287	330	371	448	468	486	469	487	504	522	
54"	138	157	184	211	231	251	275	301	346	387	470	489	510	492	511	530	549	
60"	141	164	192	218	243	263	288	316	361	403	491	511	532	516	537	555	575	
66"	147	169	198	227	251	273	301	330	377	422	511	534	556	541	561	581	602	
72"	150	174	204	236	262	286	314	345	392	439	532	555	579	564	586	608	630	
78"	154	180	212	244	272	295	326	357	407	454	552	577	602	586	610	634	657	
84"	158	186	219	253	281	307	338	373	423	471	574	599	627	610	634	658	685	
90"	163	192	226	261	290	317	352	386	440	488	593	622	649	633	658	686	712	
96"	167	196	232	269	301	330	364	401	453	503	614	644	673	656	684	712	739	
102"	171	202	240	277	311	339	377	417	470	521	647	667	697	679	709	736	765	
108"	175	207	246	287	321	352	389	429	486	538	657	688	720	702	733	763	793	
114"	180	214	254	295	330	362	401	444	500	553	676	710	745	726	757	790	819	
120"	184	218	261	304	339	373	414	458	516	570	698	733	767	749	781	814	847	

MOTORIZATION OPTIONS

- AHD Standard Motor.....\$125
- Somfy Standard Motor.....\$220
- Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 4A

DISTINCTION (78") | ESFRON (110") | FUSION (78") | HAVEN (82") | CILO (83") | PANAMA (83")

SATIN (76") | LUMINA (118") | E SCREEN 5%, 10% (98") | M SCREEN 5% (98") | ORKEST (83")

STRUCTO (83")

	WIDTH																	
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	118"	
LENGTH	36"	125	143	166	188	207	223	243	265	306	346	391	410	429	421	440	460	480
	42"	131	150	173	198	217	233	256	281	323	363	413	434	455	446	466	487	508
	48"	134	155	181	207	228	246	270	295	339	381	434	456	479	470	492	515	537
	54"	139	162	188	216	239	259	284	311	355	399	455	479	504	495	520	542	565
	60"	143	167	196	226	249	270	297	326	373	417	477	503	530	520	546	570	594
	66"	149	172	203	233	261	281	311	340	389	434	500	526	556	546	572	597	623
	72"	152	179	211	243	269	293	324	355	404	452	521	552	581	570	597	625	652
	78"	157	184	218	251	279	306	338	372	422	470	544	575	606	595	624	653	680
	84"	163	189	226	261	290	317	352	386	440	488	566	598	630	620	651	679	711
	90"	166	196	232	269	301	330	364	401	454	503	589	622	657	645	676	709	740
	96"	171	202	241	277	312	340	378	418	471	522	611	645	682	669	702	735	769
	102"	175	207	246	288	321	352	392	431	488	540	633	670	706	695	728	763	797
	108"	181	214	255	296	332	364	403	447	503	560	655	692	732	719	755	791	827
	114"	184	219	263	305	343	377	418	463	520	576	676	717	758	744	781	818	856
	120"	189	226	269	315	353	387	430	477	537	593	699	740	782	769	807	846	883


MOTORIZATION OPTIONS

AHD Standard Motor.....\$125

Somfy Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 5A


BEVERLY (78") | CHATHAM (68") | COVENTRY (78") | GLAM (78") | AATOS (83") | ANISSA (83")
 MODE (78") | DECO SCREEN (98") | E SCREEN 1%, 3% (98") | M SCREEN 3% (98") | ANNA (83")
 DEVON(118") | FLAIR (70") | FLOW (78") | MAZE (110") | MAZE BLACKOUT (110")

	WIDTH													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	98"	
LENGTH	36"	135	156	182	208	230	250	275	301	346	386	470	490	510
42"	141	164	193	220	244	265	292	321	367	411	499	520	542	
48"	147	171	202	232	257	281	310	340	389	434	526	552	575	
54"	152	179	212	244	273	296	328	361	410	456	556	584	610	
60"	158	186	220	255	287	312	346	381	431	480	587	613	642	
66"	164	195	230	268	299	328	363	400	453	503	615	645	675	
72"	170	202	241	278	312	343	381	422	475	526	644	676	709	
78"	175	208	250	290	326	360	399	442	498	552	674	709	742	
84"	181	217	261	304	340	375	417	462	519	575	703	739	776	
90"	187	225	269	315	354	391	434	479	541	598	733	770	808	
96"	195	231	278	326	368	404	452	500	563	630	762	801	841	
102"	199	240	289	338	381	422	470	521	585	645	792	832	874	
108"	205	246	299	350	396	437	488	541	606	670	821	863	908	
114"	212	254	308	361	409	452	503	562	628	692	850	896	942	
120"	217	262	317	373	423	468	521	581	649	716	877	926	974	

MOTORIZATION OPTIONS

AHD Standard Motor.....\$125
 Somfy Standard Motor.....\$220
 Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 6A


BRESLYN (110") | EXPRESSION (78") | FURY (118") | LYLITH (110") | PEBBLE B/O (110") | TABRI (118")
 PALISTER (96") | SERENE (78") | CERES BLACKOUT (110") | BAMBOO (90") | CASABLANCA (78")
 CERES (110") | RICHMOND B/O (94") | ELISE (94") | LUXAR (118") | BURST (78") | SCREEN (98")

	WIDTH												
LENGTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	98"
36"	142	165	193	219	243	263	289	316	363	406	493	515	536
42"	148	172	202	231	256	278	307	337	385	430	523	546	569
48"	154	180	212	244	270	295	326	357	409	455	553	580	605
54"	159	187	221	256	287	311	345	379	430	479	585	612	639
60"	166	196	231	269	300	327	363	400	453	504	615	644	674
66"	172	203	243	281	315	345	381	421	475	530	646	677	710
72"	179	212	253	292	328	361	400	443	499	553	676	710	744
78"	184	219	263	305	342	377	419	464	522	580	708	744	779
84"	192	227	273	319	357	394	439	486	545	605	738	777	814
90"	197	236	282	331	372	409	455	503	568	628	769	809	849
96"	203	243	292	342	386	426	474	525	591	663	799	843	883
102"	209	251	304	354	400	443	493	547	614	677	831	874	918
108"	216	259	314	367	416	458	513	568	637	703	861	906	953
114"	221	266	323	379	428	474	530	590	659	727	892	941	989
120"	228	275	332	392	444	491	548	610	682	751	921	972	1023

MOTORIZATION OPTIONS

- AHD Standard Motor.....\$125
- Somfy Standard Motor.....\$220
- Remote Control*.....\$80

SWATCHES



SURCHARGES

MOUNTING BAR SURCHARGES

\$5.50 per foot per width of shade

CASSETTE/FASCIA*

WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	140"	160"
ADD	38	43	48	54	59	62	69	75	79	88	96	108	120	140	160

CORDLESS*

WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	120"	140"	160"
ADD	95	95	95	95	95	95	95	95	95	95	95	95	95	95	95



PHIFER ROLLER SHADES

Managing the sun's heat and glare can be accomplished with Phifer's SheerWeave® interior sun control fabrics. SheerWeave's® light-filtering qualities diffuse light, reduce glare and help control solar heat gain to make your room a more comfortable environment.

As SheerWeave® filters and diffuses light, it also helps reduce the fading of textiles and interior furnishings. While lighter color fabrics reflect light and illuminate the interior with just the right amount of light, darker fabrics provide excellent outside view and absorb light making them ideal for viewing computer and television screens. SheerWeave® fabrics are offered in a variety of openness factors to allow optimal light in commercial buildings or provide more privacy for such applications as hospitals and offices.



OPERATING SYSTEMS



CORDLESS

A semi-automated option with an adjustable rate of speed, the Cordless system raises and lowers the shade to the desired height with a slight tug on the bottom rail.



MOTORIZED SHADE

Our motorization system allows you to easily and conveniently close or open shades all with the touch of a button all while offering enhanced child and pet safety.



POWERWAND

Powerwand is a battery operated, motorized system that is easily installed and operated. Powerwand's touch button control is a easy to use cord free option.




STANDARD CLUTCH

A continuous chain mechanism is used for easy control that locks the shade at desired height. This option requires less force to lift heavy shades and ensures smooth operation.

DESIGN SPECIFICATIONS


CASSETTES & FASCIAS

Our cassette and fascia options are the perfect choice for a clean, polished look.



CASSETTE

A traditional option, the cassette is rounded and covers the roller and brackets for a clean, coordinated look. An optional fabric insert offers even more design control.




FASCIA

Offering simple, clean lines for a more sophisticated look, the fascia is a square aluminum fascia that covers the roller and brackets.


LIGHT CONTROL

Our fabrics allow varying degrees of light into your room, depending on the pattern you choose. Some sheer and screen fabrics allow full light access to your room during the day while blackout pattern options keep your room dark and block most of the outside light. Consider desired opacity level when choosing your fabric.



SHEER/SCREEN

- Gently filters light and reduces glare




BLACKOUT

- Eliminates light and keeps room dark


FABRIC ORIENTATION

The fabrics used to make roller shades are of a limited width (see individual price guides).




STANDARD ORIENTATION

Shades that are ordered within the maximum width of the fabric will be made with the fabric vertically oriented.



TURNED WIDTH FOR HEIGHT

Shades that are ordered wider than the maximum fabric width available will be made with the fabric turned width for height - horizontally oriented.



LARGE SHADES

Shades ordered larger than the maximum fabric width will be made with a visible seam. This only applies to fabrics that can be turned width for height (railroaded).

SIZE STANDARDS*

NORMAL FABRIC ORIENTATION

MINIMUM WIDTH	12"
MAXIMUM HEIGHT	120"
MAXIMUM WIDTH	(depends on fabric) 72" TO 118"

TURNED WIDTH FOR HEIGHT

MINIMUM WIDTH	12"
MAXIMUM HEIGHT	(120" with visible seam) 64"
MAXIMUM WIDTH	121"

*If possible, when a wide shade is ordered, all shades in the order made with the same fabric will be cut width for height for the best possible match.

STANDARD FACTORY DEDUCTIONS*

All allowances are taken from ordered dimensions and may vary slightly by fabricator.

INSIDE MOUNT FABRIC

ordered width less 1 1/8"	
---------------------------	--

OUTSIDE MOUNT

ordered width	
---------------	--

*If you need help determining which size clutch will be used on your shades, please contact your fabricator.

STANDARD MOUNTING REQUIREMENTS

MINIMUM MOUNT DEPTH

FLUSH MOUNT	2"
MINIMUM FLAT VERTICAL SURFACE	5/8"x1 3/8"

SHADE HEIGHT

ordered height	
----------------	--

INSTALLATION BRACKETS

Traditional brackets are used without the cassette. These brackets come with a custom flag locking mechanism to ensure a sturdy hold on your shade. Cassette brackets are spring clips which provide the option of a mount from the top or back of the cassette. Fascia brackets are box brackets.

INSIDE BRACKET MOUNTS*

MINIMUM MOUNTING DEPTH	1 1/2"
MINIMUM MOUNTING DEPTH (FLUSH MOUNT)	2 1/2"

*Add 1" for shades over 26 square feet.

OUTSIDE BRACKET MOUNTS*

MINIMUM MOUNTING DEPTH	1"
------------------------	----

*For flat, vertical surface.

MOUNTING BRACKETS

SHADE WIDTH # OF BRACKETS

18" to 40"	2
40" to 72 1/4"	3
72 1/4" to 96"	4
2 ON 1	4

*If you need help determining which size clutch will be used on your shades, please contact your fabricator.

FACTORY DEDUCTIONS

INSIDE MOUNT

ordered width less 1/2"	
-------------------------	--

OUTSIDE MOUNT

ordered width	
---------------	--

SHADE HEIGHT

ordered height	
----------------	--

Mounting Requirements

FACTORY DEDUCTIONS WITH CASSETTE

INSIDE MOUNT FABRIC
ordered width less 1 1/8"

INSIDE MOUNT PROFILE
ordered width less 1 1/2"

OUTSIDE MOUNT
ordered width

1 1/2" CLUTCH
INSIDE MOUNT FABRIC
ordered width less 1 1/4"

INSIDE MOUNT PROFILE
ordered width less 1/2"

OUTSIDE MOUNT
ordered width

2" CLUTCH
INSIDE MOUNT FABRIC
ordered width less 1 3/8"

INSIDE MOUNT PROFILE
ordered width less 1/2"

OUTSIDE MOUNT
ordered width

SHADE HEIGHT
ordered height

MOUNTING REQUIREMENTS WITH CASSETTE

MINIMUM MOUNT DEPTH 2 1/4"
FLUSH MOUNT 4"
MINIMUM FLAT VERTICAL SURFACE 3 3/4"

FACTORY DEDUCTIONS WITH FASCIA

INSIDE MOUNT FABRIC
ordered width less 1 1/4"

INSIDE MOUNT PROFILE
ordered width less 1/2"

OUTSIDE MOUNT
ordered width

2" CLUTCH
INSIDE MOUNT FABRIC
ordered width less 1 3/8"

INSIDE MOUNT PROFILE
ordered width less 1/2"

OUTSIDE MOUNT
ordered width

SHADE HEIGHT
ordered height

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Measuring for Roller Shades is similar to measuring for most window coverings. Follow these basic guidelines to ensure a smooth installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary and record your measurements on a worksheet.


INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the shade fits within the window opening or overlaps the window opening. With inside mounts, note that the shade fabric will be about 1 1/4" narrower than the window opening, so if complete privacy and light control is desired, drapery side panels should be installed over the shade.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".


INSIDE MOUNT



- Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8". This measurement is the ordering width of the shade. Do not make any deductions from this width - all necessary deductions will be made automatically when the shade is fabricated.
- Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.
- Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement. Again, make no deductions. All necessary deductions will be made when the shade is fabricated.
- Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

- Measure depth of window for mounting brackets.

OUTSIDE MOUNT




- Measure the desired width and height. To minimize light leakage, it is recommended that the shade overlap the window opening at least 1 1/2" on each side, as well as at the top and bottom. As with inside mounts, do not make any deductions from your measurements.
- Measure the width at the location where you want the shade, and use this measurement as your ordering width for the shade.
- Measure the height from where the top of the roller will be located to where you want the bottom of the shade.

PRICE GUIDE | 1A


PHIFER SHEERWEAVE® STYLE 1000 (25%)

WIDTH	PHIFER SHEERWEAVE® STYLE 1000 (25%)							
	37"	46"	55"	64"	73"	78"	84"	96"
36"	94	117	131	150	159	184	211	270
48"	107	125	141	166	183	201	236	291
60"	116	134	157	182	199	217	245	307
72"	124	141	172	201	217	241	282	328
84"	144	162	187	216	242	273	301	362
96"	162	179	205	236	269	301	333	402
108"	211	228	261	293	326	367	397	465
120"	230	250	278	314	360	409	441	515

SWATCHES



SW 1000
WHITE



SW 1000
ANTIQUE WHITE

MOTORIZATION OPTIONS

AHD Standard Motor.....	\$125
Somfy Standard Motor.....	\$220
Remote Control*	\$80



PRICE GUIDE | 2A

PHIFER SHEERWEAVE® STYLE 2000 (5%) | STYLE 2360 (10%)


STYLE 2410 (3%) | STYLE 2701 (1%) | STYLE 2705 (5%)

	WIDTH							
	37"	46"	55"	64"	73"	78"	84"	96"
36"	151	192	208	245	257	328	340	409
48"	169	201	230	268	292	369	369	433
60"	183	214	251	286	315	397	397	462
72"	201	236	277	327	353	433	455	491
84"	236	261	302	354	392	493	485	545
96"	261	290	332	379	433	534	542	590
108"	317	347	397	455	495	620	632	732
120"	362	395	455	502	569	713	732	817

MOTORIZATION OPTIONS

AHD Standard Motor.....	\$125
Somfy Standard Motor.....	\$220
Remote Control*.....	\$80

SWATCHES



SW 2000, SW 2360, SW 2701, SW 2705

PRICE GUIDE | 3A

PHIFER SHEERWEAVE® STYLE 2100 (10%)

	WIDTH							
	37"	46"	55"	64"	73"	78"	84"	96"
36"	137	171	187	220	230	272	306	354
48"	151	181	207	241	261	290	335	381
60"	167	193	226	261	286	310	360	401
72"	181	211	250	293	319	356	409	437
84"	212	236	272	319	353	397	437	479
96"	233	259	297	339	389	437	487	524
108"	286	310	360	409	448	520	569	669
120"	324	354	409	450	520	583	644	744

SWATCHES



SW 2100

PRICE GUIDE | 4A

PHIFER SHEERWEAVE® STYLE 3000 (14%)

	WIDTH							
	37"	46"	55"	64"	73"	78"	84"	96"
36"	102	126	139	164	172	201	226	261
48"	114	134	154	179	198	216	253	279
60"	124	142	171	198	216	232	268	302
72"	134	154	186	218	232	257	305	324
84"	155	173	201	236	261	292	324	356
96"	173	192	220	253	288	322	360	389
108"	216	236	279	310	330	392	433	504
120"	245	266	310	337	392	446	491	559

SWATCHES



SW 3000

PRICE GUIDE | 5A

PHIFER SHEERWEAVE® STYLE 4500 (5%) | STYLE 4600 (3%)


STYLE 5000 (CONTEMPORARY)

	WIDTH							
	37"	46"	55"	64"	73"	78"	84"	96"
36"	166	208	228	268	279	347	372	450
48"	183	220	253	292	322	402	401	476
60"	201	233	275	310	342	437	428	520
72"	230	257	305	360	384	471	498	559
84"	257	286	332	384	426	538	530	620
96"	286	317	364	416	475	569	594	669
108"	347	379	433	495	542	664	682	781
120"	395	430	495	552	616	756	793	868

MOTORIZATION OPTIONS

AHD Standard Motor.....	\$125
Somfy Standard Motor.....	\$220
Remote Control*.....	\$80

SWATCHES



SURCHARGES

CASSETTE/FASCIA*

WIDTH	37"	46"	55"	64"	73"	78"	84"	96"
ADD	48	59	62	75	79	84	88	100

CORDLESS*

WIDTH	37"	46"	55"	64"	73"	78"	84"	96"
ADD	95	95	95	95	95	95	95	95

*For Cassette/Fascia add Retail Price of the shade plus the Cassette/Fascia Surcharge; For Clutch Cordless add Retail Price of the shade plus the Cordless Surcharge; For Cordless with Cassette 120/Fascia add Retail Price of the shade plus the Cordless Surcharge plus the Cassette/Fascia Surcharge; For Cordless with Cassette 100 add Retail Price of the shade plus the Cordless Surcharge plus the Cassette 100 Surcharge. Prices subject to change without notice.




REVOLVE TRANSITIONAL

Revolve Transitional provides a fashionable alternative to the traditional roller shade. Featuring a stylish, yet functional fabric panel that combines sheer and solid fabrics to offer even more control of light and desired privacy levels.

Closed, these versatile shades offer complete light control and privacy. Raise the shade and align the sheer fabrics to allow light to filter through, while maintaining some privacy. Raise the shade completely into the sleek designer headrail for a perfect, clear view through.



OPERATING SYSTEMS



POWERWAND

Powerwand is a battery operated, motorized system that is easily installed and operated. Powerwand's touch button control is a easy to use cord free option.



MOTORIZED SHADE


Our motorization system allows you to easily and conveniently close or open shades all with the touch of a button all while offering enhanced child and pet safety.



STANDARD CLUTCH

A continuous chain mechanism is used for easy control that locks the shade at desired height. This option requires less force to lift heavy shades and ensures smooth operation.

DESIGN SPECIFICATIONS



OPEN

While Revolve Transitional shades are open, they'll provide view through while filtering light with some privacy.

CLOSED

When closed, complete privacy and light control is obtained, all while still adding style to your space.

RAISED

When raised these shades provide light filtering, a clear view through and privacy all simultaneously.

MOUNTING REQUIREMENTS WITH CASSETTE 100

MINIMUM MOUNT DEPTH	1 5/8"
FLUSH MOUNT INSIDE MOUNT	3"
MINIMUM FLAT OUTSIDE MOUNT	1 3/8"

MOUNTING REQUIREMENTS

SIZE STANDARDS*

The Revolve Transitional Shades Collection are designed to fit rectangular window openings in a vertical orientation. The maximum width and height of the shade vary with type of fabric. The shades may be installed inside or outside the window opening or mounted to the ceiling.

*See individual prices grid for information by fabric.

NORMAL FABRIC ORIENTATION

MINIMUM WIDTH 12"

MAXIMUM WIDTH VARIES BY FABRIC

MAXIMUM LENGTH 120"

INSTALLATION BRACKETS

Cassette brackets are spring clips which provide the option of a mount from the top or back of the cassette. See installation instructions.

FACTORY DEDUCTIONS WITH CASSETTE 100

INSIDE MOUNT FABRIC

ordered width less 1 3/8"

INSIDE MOUNT PROFILE

ordered width less 3/8"

OUTSIDE MOUNT

ordered width

MOUNTING REQUIREMENTS WITH CASSETTE 100

MINIMUM MOUNT DEPTH	1 5/8"
FLUSH MOUNT INSIDE MOUNT	3"
MINIMUM FLAT OUTSIDE MOUNT	1 3/8"

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Measuring for Revolve Transitional Shades is similar to measuring for most window coverings. Follow these basic guidelines to ensure a smooth installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary. Record your measurements on a worksheet.


INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the shade fits within the window opening or overlaps the window opening. With inside mounts, note that the shade fabric will be about 1 1/4" narrower than the window opening, so if complete privacy and light control is desired, drapery side panels should be installed over the shade.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".

INSIDE MOUNT



A. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8". This measurement is the ordering width of the shade. Do not make any deductions from this width - all necessary deductions will be made automatically when the shade is fabricated.


B. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.

C. Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement. Again, make no deductions. All necessary deductions will be made when the shade is fabricated.

D. Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

E. Measure depth of window for mounting brackets.

OUTSIDE MOUNT



A. Measure the desired width and height. To minimize light leakage, it is recommended that the shade overlap the window opening at least 1 1/2" on each side, as well as at the top and bottom. As with inside mounts, do not make any deductions from your measurements.

B. Measure the width at the location where you want the shade, and use this measurement as your ordering width for the shade.

C. Measure the height from where the top of the roller will be located to where you want the bottom of the shade.



PRICE GUIDE | 1A

LUNA (108")

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
LENGTH	36"	373	419	467	512	561	609	655	704	824	924	1019	1239
42"	395	444	494	548	599	652	704	755	881	988	1090	1329	
48"	416	469	527	580	637	693	754	811	940	1051	1163	1426	
54"	435	492	553	616	676	736	802	868	993	1114	1246	1559	
60"	455	520	583	647	712	783	854	925	1046	1184	1328	1668	
66"	471	543	614	684	755	831	906	986	1104	1259	1411	1772	
72"	494	570	645	715	797	881	962	1042	1163	1329	1494	1888	
78"	508	588	666	749	832	921	1002	1090	1218	1394	1567	1982	
84"	529	614	695	786	875	967	1061	1150	1282	1472	1652	2082	
90"	552	637	726	822	920	1017	1111	1208	1343	1542	1736	2198	
96"	572	665	756	859	962	1062	1161	1264	1407	1615	1821	2308	
102"	655	758	863	975	1079	1180	1316	1443	1547	1758	1961	2372	
108"	691	800	906	1027	1136	1243	1385	1523	1628	1848	2064	2496	
114"	732	847	966	1090	1208	1320	1467	1614	1727	1961	2188	2648	
120"	786	905	1036	1166	1288	1411	1570	1727	1848	2099	2343	2835	
126"	839	967	1103	1243	1373	1505	1673	1844	1970	2239	2498	3015	
132"	894	1029	1175	1325	1464	1604	1783	1964	2099	2386	2664	3221	

* Add \$165 for PowerWand Option.


MOTORIZATION OPTIONS

- Standard Motor.....\$220
- Remote Control*.....\$80

SWATCHES



LUNA
WHITE



LUNA
BEIGE



LUNA
GREY



LUNA
CHARCOAL

PRICE GUIDE | 2A

CUMULUS (108") | PURA (108") | PURA NATURAL (108") | OSLO (108") |
NEAT (108") | DOT (108")

WIDTH												
24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"	
412	461	515	564	617	670	721	774	906	1016	1120	1362	
435	489	545	602	657	718	774	831	969	1087	1199	1462	
458	516	579	638	701	762	830	894	1032	1158	1279	1567	
479	542	609	677	744	811	882	954	1092	1225	1370	1716	
501	573	642	711	784	860	940	1017	1151	1303	1461	1833	
520	599	676	751	831	912	998	1084	1214	1386	1553	1949	
545	627	708	788	878	969	1056	1147	1279	1462	1644	2075	
558	647	733	823	917	1013	1103	1199	1341	1535	1723	2180	
582	676	763	864	963	1063	1166	1264	1410	1618	1818	2290	
607	701	799	904	1011	1118	1221	1327	1477	1697	1911	2417	
629	732	711	946	1056	1167	1278	1390	1548	1777	2001	2538	
721	834	949	1073	1188	1297	1448	1589	1700	1934	2157	2608	
759	879	998	1129	1248	1367	1523	1674	1790	2033	2269	2747	
806	930	1062	1199	1327	1453	1614	1776	1901	2157	2407	2914	
864	996	1139	1282	1416	1553	1726	1901	2033	2310	2578	3119	
923	1063	1212	1367	1511	1656	1839	2027	2167	2461	2748	3324	
982	1133	1294	1457	1611	1765	1962	2160	2310	2624	2931	3544	

* Add \$165 for PowerWand Option.

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES



PRICE GUIDE | 3A

GEMINI (108") | ADRIANA (108") | SOFIA (108") | VENUS (108") | LAUREN (108")

WIDTH												
24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"	
466	524	585	641	701	761	819	879	1031	1155	1274	1549	
494	555	617	685	749	815	879	944	1101	1235	1363	1662	
520	587	658	725	797	867	943	1013	1174	1314	1454	1782	
543	616	692	771	845	921	1004	1086	1242	1392	1557	1949	
568	649	729	809	890	979	1067	1156	1308	1481	1661	2085	
590	678	768	855	944	1037	1133	1232	1380	1574	1764	2217	
617	713	806	895	996	1101	1202	1302	1454	1662	1867	2359	
635	735	833	936	1040	1151	1253	1363	1523	1743	1958	2478	
662	768	868	983	1093	1209	1326	1437	1602	1840	2064	2603	
691	797	907	1028	1150	1272	1389	1509	1679	1928	2169	2747	
715	831	945	1073	1202	1327	1451	1580	1759	2019	2275	2884	
819	948	1079	1220	1349	1474	1644	1804	1933	2197	2452	2964	
864	1001	1133	1283	1420	1555	1731	1904	2034	2310	2580	3121	
916	1059	1208	1363	1509	1650	1833	2018	2160	2452	2735	3311	
983	1132	1296	1456	1611	1764	1962	2160	2310	2624	2928	3543	
1049	1209	1379	1555	1717	1882	2091	2305	2462	2797	3123	3767	
1116	1286	1469	1657	1830	2006	2228	2455	2624	2982	3330	4027	


* Add \$165 for PowerWand Option.

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 4A

UMBRA ROOM DARKENING (108") | ARIA (108") | LUCAS (108") | MASON (108") | JUSTIN (108")

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
LENGTH	36"	585	657	734	805	881	956	1028	1105	1295	1450	1599	1946
42"	620	697	776	860	940	1023	1105	1185	1383	1551	1712	2087	
48"	652	737	827	910	1001	1089	1184	1273	1475	1650	1826	2239	
54"	683	774	869	968	1062	1156	1260	1364	1559	1748	1956	2448	
60"	713	815	916	1016	1118	1229	1340	1452	1642	1859	2085	2619	
66"	741	852	964	1073	1185	1303	1423	1548	1733	1977	2216	2784	
72"	776	895	1012	1124	1252	1383	1509	1636	1826	2087	2346	2963	
78"	798	923	1046	1175	1305	1445	1573	1712	1913	2189	2460	3112	
84"	831	964	1091	1234	1372	1518	1665	1805	2013	2311	2592	3270	
90"	867	1001	1139	1292	1444	1598	1745	1895	2108	2421	2725	3449	
96"	899	1044	1188	1348	1509	1667	1823	1986	2208	2536	2858	3623	
102"	1028	1191	1356	1532	1695	1852	2065	2266	2429	2759	3080	3723	
108"	1086	1257	1423	1612	1783	1953	2175	2391	2555	2901	3240	3919	
114"	1150	1331	1516	1712	1895	2072	2303	2534	2712	3080	3436	4158	
120"	1234	1421	1628	1829	2023	2216	2464	2712	2901	3296	3678	4450	
126"	1318	1518	1731	1953	2157	2363	2626	2894	3093	3513	3923	4732	
132"	1402	1615	1845	2080	2298	2519	2799	3083	3296	3745	4182	5058	

* Add \$165 for PowerWand Option.

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES





PRICE GUIDE | 5A

UMBRA WIDE ROOM DARKENING (108")

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
LENGTH	36"	690	775	865	948	1038	1126	1212	1301	1526	1709	1885	2292
42"	730	822	914	1013	1108	1205	1301	1398	1630	1827	2017	2460	
48"	769	869	975	1073	1179	1283	1395	1499	1738	1944	2151	2638	
54"	803	911	1024	1140	1251	1363	1485	1608	1838	2060	2305	2884	
60"	840	961	1079	1197	1318	1448	1578	1712	1935	2190	2458	3086	
66"	873	1004	1136	1264	1398	1536	1677	1824	2041	2329	2610	3280	
72"	914	1054	1193	1324	1474	1630	1779	1928	2151	2460	2764	3492	
78"	940	1087	1232	1385	1538	1703	1854	2017	2253	2580	2898	3668	
84"	979	1136	1285	1454	1617	1789	1962	2127	2372	2723	3056	3852	
90"	1022	1179	1342	1521	1701	1883	2056	2233	2484	2854	3210	4065	
96"	1058	1230	1400	1589	1779	1965	2147	2339	2603	2988	3367	4269	
102"	1212	1403	1597	1805	1997	2182	2433	2670	2861	3251	3629	4387	
108"	1279	1481	1677	1898	2101	2301	2562	2817	3010	3419	3818	4618	
114"	1355	1569	1787	2017	2233	2441	2713	2986	3196	3629	4049	4899	
120"	1454	1675	1917	2156	2385	2610	2904	3196	3419	3884	4334	5244	
126"	1552	1789	2040	2301	2541	2785	3094	3410	3645	4140	4622	5577	
132"	1652	1903	2175	2452	2709	2967	3298	3633	3884	4414	4928	5960	

* Add \$165 for PowerWand Option.

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES



SHEER SHADINGS

Our Sheer Shadings offer a unique technology by blending beautiful fabrics with the functionality of blinds to create a soft, luxurious view for any room.

Horizontal fabric vanes float between two layers of soft, knitted fabric sheers to soften your view outside. With plenty of color options, Sheer Shadings are an exquisite choice that will enhance your room with an elegant combination of beauty and performance.




OPERATING SYSTEMS




CORDLESS

Eliminates the danger of exposed cords and is easily adjusted by simply lifting or lowering the shade with a gentle push or pull on the bottomrail.



MOTORIZED SHADE

Perfect for hard-to-reach windows, motorized shades not only offer convenience, but also eliminate cords for a safer option.



VERTICAL SHADINGS

Side-to-side operation is perfect for sliding doors, room dividers and rectangular windows. Unique design eliminates the danger of cords.



CONTINUOUS CORD LOOP

A continuous cord loop opens and closes the shade smoothly and evenly. Eliminates the traditional dangling cord, making for a neater appearance. Ideal option for larger shades.

DESIGN & OPERATION

VIEWING OPTIONS

CLOSED TOP, OPEN BOTTOM

By partially lowering the shade from the fully raised position, the upper portion of your window will become semi-opaque while allowing light to filter in.

FULLY PRIVATE

When lowered completely, the shade provides complete privacy and softly diffuses light.

PARTIALLY OPEN

Opening the shade slightly will gradually increase the level of light and allow varying levels of "view-through."

VIEW-THROUGH WHEN LOWERED

By completely opening the vanes, the shade provides a softened, veiled view to the outside.

SIDE-BY-SIDE ALIGNMENT

When sheer shades are installed side-by-side, vane alignment can be guaranteed within 1/4" only if:



- Shades are the same color and are ordered at the same time.
- The sum total of the widths of all shades needing alignment is less than 102".
- Side-by-side lineup must be specified when the order is placed.

LEVELING THE SHADES

Sheer shades are leveled and weighted in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the installation instructions carefully to ensure correct and balanced operation.

VANE OPENING


Vanes on the six styles of sheer shade fabrics open to slightly different degrees. Consequently, there are variations in visibility through the shades when the vanes are tilted to their maximum open positions. The variations among the product are shown in the illustration below, when looking through the shading 1/4 of the way up from the bottom.



VANE CLOSURE

Sheer shade fabric vanes overlap and provide privacy when closed. However, the inherent nature of the fabric will cause a slight increase in the distance from the front sheer to back sheer as you move further down the shade. These vanes do not form a perfect seal against light leakage which is most visible toward the bottom of the shade.

Vane closure is measured as the distance between the front and rear fabric sheers 6" up from the lowest point of the bottom rail, with the shade fully lowered and the vanes closed. For sheer shades, the maximum distance from the front sheer to the back sheer when closed is 7/8". Room darkening fabrics, the distance is 5/8". Vane closure on all 3" fabrics will have a distance of 1".



SPECIFICATIONS

2", 2 1/2" & 3" LIGHT FILTERING

WIDTH AND HEIGHT

MINIMUM WIDTH	12"
MINIMUM HEIGHT	12"
MAXIMUM WIDTH	120"
MAXIMUM HEIGHT	120"

2", 2 1/2" & 3" ROOM DARKENING

WIDTH AND HEIGHT

MINIMUM WIDTH	12"
MINIMUM HEIGHT	12"
MAXIMUM WIDTH	120"
MAXIMUM HEIGHT	106"

VERTICAL LIGHT FILTERING & ROOM DARKENING

WIDTH AND HEIGHT

MINIMUM WIDTH	12"
MINIMUM HEIGHT	24"
MAXIMUM WIDTH	192"
MAXIMUM HEIGHT	120"

FINISHED DIMENSIONS

INSIDE MOUNT

HEADRAIL	- 3/16" ordered width
FABRIC	- 11/8" ordered shade width

SIDE (END) MOUNT

HEADRAIL	- 11/16" ordered width
FABRIC	- 1 5/8" ordered shade width

OUTSIDE MOUNT

HEADRAIL	+ 3/16" ordered width
FABRIC	- 3/4" ordered shade width

EXACT END TO END MOUNT

HEADRAIL	+ 15/16" ordered width
FABRIC	- 1/8" ordered shade width



MOUNTING REQUIREMENTS

STANDARD SHEER HEADRAIL

- Available on all Standard Sheer Shades.
- Aluminum color coordinated headrail with fabric insert and color coordinated end caps.
- Operating systems: Cordless, Cord Loop, Retractable or Motorized System.

INSIDE MOUNT

Minimum flush with install brackets.....**3 3/4"**

SHALLOW MOUNT

Minimum mounting surface.....**3/4"**

SIDE MOUNT

Minimum mounting surface.....**1 1/4"**

Maximum shade width side mount.....**48"**

OUTSIDE MOUNT

Minimum mounting surface.....**3/4"**

VERTICAL SHEER HEADRAIL

- Fits rectangular windows or doors.
- Aluminum color coordinated headrail with fabric insert and color coordinated end caps.
- Operating systems: Wand/Cord, Moving Wand.

INSIDE MOUNT

Minimum mounting depth.....**1"**

Minimum mounting depth, full recess.....**1"**

OUTSIDE MOUNT

Minimum mounting surface height, standard bracket.....**1 1/8"**

Minimum mounting surface height, extension bracket.....**1 3/8"**

Recommended top overlap.....**5"**

Recommended minimum overlap per side (and bottom overlap when product does not hang to floor).....**5"**


Recommended bottom clearance when product hangs to floor (deduct before ordering).....**5"**

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Precise width and height measurements are critical. Fabric width cannot be altered after the shading is fabricated. Please use a metal tape measure for accuracy from home to factory.


The headrail must be installed perfectly level and installed evenly to ensure smooth operation. On an inside mount, it is recommended that you check to see that the mounting surface is level and consistent. If your soffit needs to be leveled, this should be done before measuring.



INSIDE MOUNT

Measure across the width of your window opening in three different places - top, middle and bottom. Measurements should be taken within the window jamb. Provide the smallest of the three measurements to your fabricator. Be exact. Your fabricator will make the necessary deductions to fit the window opening.


Measure the height of the window opening from the underside of the soffit to the surface of the window sill in two places - use the smallest of these two measurements.



OUTSIDE MOUNT

Measure the exact width and height of the area to be covered. On the width, allow at least 1 1/2" of an overlap on each side. An overlap of 3" on each side is recommended.

Be sure to take into consideration any obstructions such as window trim, molding, locks and window cranks.



SIDE MOUNT

Sheer shades may be side mounted using "L" brackets. For side mounts, follow the instructions for inside mounts. An additional 1/2" will be taken off the standard inside mount deduction to allow room for the "L" brackets.

The maximum shade width utilizing the side mount option is 48".



PRICE GUIDE | 1A

SHEER 2" VANE

AURA LIGHT FILTERING (3001, 3016, 3122, 3019, 3099, 3069)

LENGTH	WIDTH											
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
36"	373	419	467	512	561	609	655	704	824	924	1019	1239
42"	395	444	494	548	599	652	704	755	881	988	1090	1329
48"	416	469	527	580	637	693	754	811	940	1051	1163	1426
54"	435	492	553	616	676	736	802	868	993	1114	1246	1559
60"	455	520	583	647	712	783	854	925	1046	1184	1328	1668
66"	471	543	614	684	755	831	906	986	1104	1259	1411	1772
72"	494	570	645	715	797	881	962	1042	1163	1329	1494	1888
78"	508	588	666	749	832	921	1002	1090	1218	1394	1567	1982
84"	529	614	695	786	875	967	1061	1150	1282	1472	1652	2082
90"	552	637	726	822	920	1017	1111	1208	1343	1542	1736	2198
96"	572	665	756	859	962	1062	1161	1264	1407	1615	1821	2308
102"	655	758	863	975	1079	1180	1316	1443	1547	1758	1961	2372
108"	691	800	906	1027	1136	1243	1385	1523	1628	1848	2064	2496
114"	732	847	966	1090	1208	1320	1467	1614	1727	1961	2188	2648
120"	786	905	1036	1166	1288	1411	1570	1727	1848	2099	2343	2835
126"	839	967	1103	1243	1373	1505	1673	1844	1970	2239	2498	3015
132"	894	1029	1175	1325	1464	1604	1783	1964	2099	2386	2664	3221

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.

- Clutch with Cord Loop

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80



SL5-3001
VELLUM



SL5-3016
SAND



SL5-3019
MOCHA



SL5-3122
PEWTER



SL5-3069
COCOA BEAN



SL5-3099
BLACK

PRICE GUIDE | 2A

SHEER 2" VANE

SATIN LIGHT FILTERING (1000, 1001, 1006, 1065, 1008, 1182)

LINEN LIGHT FILTERING (1100, 1101, 1105, 1109)

SATIN ROOM DARKENING (2100, 2133, 2200, 2205, 2209, 2600)

LENGTH	WIDTH											
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
36"	414	464	515	566	617	671	719	774	906	1017	1121	1362
42"	435	491	545	601	660	717	774	832	971	1086	1202	1463
48"	457	516	579	638	701	764	831	894	1031	1155	1279	1567
54"	478	545	610	678	741	812	882	956	1090	1227	1371	1716
60"	502	571	643	714	784	862	943	1019	1152	1302	1462	1834
66"	524	596	676	754	832	916	1000	1085	1216	1386	1552	1949
72"	545	626	712	789	879	971	1057	1147	1279	1465	1641	2076
78"	563	646	736	822	917	1014	1106	1202	1342	1538	1726	2180
84"	647	741	836	940	1034	1125	1235	1347	1520	1709	1894	2291
90"	671	769	868	977	1074	1171	1286	1405	1583	1783	1975	2416
96"	695	797	903	1015	1117	1219	1341	1462	1643	1852	2057	2539
102"	722	832	940	1057	1163	1271	1395	1520	1712	1928	2143	2644
108"	754	864	978	1101	1211	1322	1452	1584	1782	2008	2230	2753
114"	784	900	1017	1147	1259	1388	1511	1647	1854	2088	2323	2865
120"	816	939	1061	1194	1313	1432	1572	1716	1930	2175	2418	2983

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.


- Clutch with Cord Loop

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES



SL5-1000
SNOW



SL5-1001
PEARL




SL5-1006
PARCHMENT



SL5-1065
SAGE



SL7-1100
SNOW



SL7-1101
PEARL



SL7-1105
MISTY SKY




SL7-1109
JASPER




SL1-2100
ARCTIC ICE




SL1-2200
EGGSHELL



SL1-2600
TWILIGHT



SL1-2209
GRAY'S HARBOR



PRICE GUIDE | 3A

SHEER 2 1/2" VANE - LIGHT FILTERING

CROSS HATCH (N8)
HORIZONTAL SLUB (N10) | SOFT STRIPE PRINT (N14)
RIPTIDE (N50) | BEACH BLANKET (N54)

	WIDTH											
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
36"	412	461	515	564	617	670	721	774	906	1016	1120	1362
42"	435	489	545	602	657	718	774	831	969	1087	1199	1462
48"	458	516	579	638	701	762	830	894	1032	1158	1279	1567
54"	479	542	609	677	744	811	882	954	1092	1225	1370	1716
60"	501	573	642	711	784	860	940	1017	1151	1303	1461	1833
66"	520	599	676	751	831	912	998	1084	1214	1386	1553	1949
72"	545	627	708	788	878	969	1056	1147	1279	1462	1644	2075
78"	558	647	733	823	917	1013	1103	1199	1341	1535	1723	2180
84"	582	676	763	864	963	1063	1166	1264	1410	1618	1818	2290
90"	607	701	799	904	1011	1118	1221	1327	1477	1697	1911	2417
96"	629	732	711	946	1056	1167	1278	1390	1548	1777	2001	2538
102"	721	834	949	1073	1188	1297	1448	1589	1700	1934	2157	2608
108"	759	879	998	1129	1248	1367	1523	1674	1790	2033	2269	2747
114"	806	930	1062	1199	1327	1453	1614	1776	1901	2157	2407	2914
120"	864	996	1139	1282	1416	1553	1726	1901	2033	2310	2578	3119
126"	879	1012	1154	1302	1439	1577	1751	1930	2064	2344	2617	3166
132"	935	1079	1232	1388	1534	1681	1869	2057	2200	2499	2791	3375

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.

- Clutch with Cord Loop

MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

* Sold Separately. Refer to page 160 for surcharges and motorization details.

SWATCHES



PRICE GUIDE | 4A

SHEER 2 1/2" VANE - ROOM DARKENING

CROSS HATCH (N6) | SOFT STRIPE PRINT (N16)

EVENING TIDE (N52)

	WIDTH											
	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
36"	455	509	565	622	677	739	792	853	996	1118	1233	1498
42"	479	541	599	662	725	788	853	912	1068	1195	1320	1610
48"	502	568	635	701	771	840	911	982	1133	1271	1408	1722
54"	525	599	670	747	815	894	969	1050	1199	1349	1508	1888
60"	552	627	707	785	860	948	1036	1120	1266	1432	1607	2018
66"	575	655	744	830	912	1005	1098	1193	1338	1525	1707	2144
72"	599	688	781	866	966	1068	1162	1259	1408	1611	1805	2284
78"	617	710	809	904	1006	1115	1216	1320	1476	1693	1898	2399
84"	711	815	920	1032	1137	1236	1360	1481	1672	1878	2082	2519
90"	739	845	954	1073	1181	1286	1413	1545	1741	1961	2170	2658
96"	763	878	993	1117	1230	1341	1474	1607	1807	2036	2264	2793
102"	795	912	1032	1162	1279	1395	1535	1672	1880	2120	2357	2909
108"	830	951	1075	1211	1331	1454	1596	1742	1959	2207	2454	3027
114"	860	990	1118	1259	1386	1513	1661	1812	2040	2297	2555	3151
120"	898	1031	1166	1313	1442	1574	1729	1888	2122	2390	2660	3281

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.

- Clutch with Cord Loop


MOTORIZATION OPTIONS

Standard Motor.....\$220

Remote Control*.....\$80

* Sold Separately. Refer to page 160 for surcharges and motorization details.

SWATCHES





PRICE GUIDE | 5A

SHEER 3" VANE

AURA LIGHT FILTERING (3001, 3016, 3122, 3019, 3069, 3099)

LINEN LIGHT FILTERING (1100, 1101, 1105, 1109)

SATIN LIGHT FILTERING (1000, 1001, 1006, 1065, 1008, 1182)

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
LENGTH		412	461	515	564	617	670	721	774	906	1016	1120	1362
36"	435	489	545	602	657	718	774	831	969	1087	1199	1462	
42"	458	516	579	638	701	762	830	894	1032	1158	1279	1567	
48"	479	542	609	677	744	811	882	954	1092	1225	1370	1716	
54"	501	573	642	711	784	860	940	1017	1151	1303	1461	1833	
60"	520	599	676	751	831	912	998	1084	1214	1386	1553	1949	
66"	545	627	708	788	878	969	1056	1147	1279	1462	1644	2075	
72"	558	647	733	823	917	1013	1103	1199	1341	1535	1723	2180	
78"	582	676	763	864	963	1063	1166	1264	1410	1618	1818	2290	
84"	607	701	799	904	1011	1118	1221	1327	1477	1697	1911	2417	
90"	629	732	711	946	1056	1167	1278	1390	1548	1777	2001	2538	
96"	721	834	949	1073	1188	1297	1448	1589	1700	1934	2157	2608	
102"	759	879	998	1129	1248	1367	1523	1674	1790	2033	2269	2747	
108"	806	930	1062	1199	1327	1453	1614	1776	1901	2157	2407	2914	
114"	864	996	1139	1282	1416	1553	1726	1901	2033	2310	2578	3119	
120"	923	1063	1212	1367	1511	1656	1839	2027	2167	2461	2748	3324	
126"	982	1133	1294	1457	1611	1765	1962	2160	2310	2624	2931	3544	
132"													

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.


- Clutch with Cord Loop

MOTORIZATION OPTIONS


Standard Motor.....\$220

Remote Control*.....\$80

SWATCHES



SL6-3001
VELLUM



SL6-1000
SNOW



SL6-3016
SAND



SL8-1100
SNOW



SL6-1001
PEARL




SL6-3019
MOCHA



SL8-1101
PEARL




SL6-1006
PARCHMENT



SL6-3122
PEWTER



SL8-1105
MISTY SKY



SL6-1008
IVORY



SL6-3069
COCOA BEAN



SL8-1109
JASPER



SL6-1065
SAGE



SL6-3099
BLACK



SL6-1182
BEDDY BYE

PRICE GUIDE | 6A

SHEER 3" VANE

AURA ROOM DARKENING (4001, 4016, 4122, 4019, 4099, 4069)

SATIN ROOM DARKENING (2100, 2200, 2133, 2209, 2205, 2600)

	WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	84"	96"	114"
LENGTH		455	509	565	622	677	739	792	853	996	1118	1233	1498
36"	479	541	599	662	725	788	853	912	1068	1195	1320	1610	
42"	502	568	635	701	771	840	911	982	1133	1271	1408	1722	
48"	525	599	670	747	815	894	969	1050	1199	1349	1508	1888	
54"	552	627	707	785	860	948	1036	1120	1266	1432	1607	2018	
60"	575	655	744	830	912	1005	1098	1193	1338	1525	1707	2144	
66"	599	688	781	866	966	1068	1162	1259	1408	1611	1805	2284	
72"	617	710	809	904	1006	1115	1216	1320	1476	1693	1898	2399	
78"	711	815	920	1032	1137	1236	1360	1481	1672	1878	2082	2519	
84"	739	845	954	1073	1181	1286	1413	1545	1741	1961	2170	2658	
90"	763	878	993	1117	1230	1341	1474	1607	1807	2036	2264	2793	
96"	795	912	1032	1162	1279	1395	1535	1672	1880	2120	2357	2909	
102"	830	951	1075	1211	1331	1454	1596	1742	1959	2207	2454	3027	
108"	860	990	1118	1259	1386	1513	1661	1812	2040	2297	2555	3151	
114"	898	1031	1166	1313	1442	1574	1729	1888	2122	2390	2660	3281	
120"													

AVAILABLE OPERATING SYSTEMS & SURCHARGES

- Cordless*.....\$50

*Strap cord available in white or black only.

- Clutch with Cord Loop

MOTORIZATION OPTIONS

Standard Motor.....\$220

WOOD BLINDS

A classic style choice, wood blinds bring warmth and beauty to any room. We offer a variety of whites and stains so it's easy to find the perfect blind to match your decor. Made from 100% real kiln-dried basswood, these blinds are incredibly durable, yet lightweight, which makes them a perfect option for a long-lasting blind that'll be in style for years to come.



OPERATING SYSTEMS



LIFT & LOCK™ CORDLESS

Eliminates the danger of exposed cords and is easily adjusted by simply lifting or lowering the shade with a gentle push or pull on the bottomrail.



STANDARD CORD LOCK

Traditional cord operated blinds that raise from the bottom and stacks at the top for a simple, classic look.



2-ON-1 HEADRAIL

For large single windows, or two large windows side by side, this specialty shade provides the appearance of a single shade, with two sections operating independently.



3-ON-1 HEADRAIL

For very large single windows, or three large windows side by side, this specialty shade provides the appearance of a single shade, with three sections operating independently.

CLOTH TAPE

Our signature edge banding is a fashionable option for your Woven Woods. These cloth tapes will add a more tailored and complete look to your Woven Wood shades and are available in standard and deluxe widths.

Offered in fifteen colors that coordinate with your shades to give you a finished look to your overall decor. Standard cloth tape is equivalent to 1" of tape on the front and back of the shade.



WHITE



DUCK



FAWN



TAUPE



DARK BEIGE



WHEAT



CHERRY



COCOA



CHOCOLATE



OLIVE



FOREST GREEN



MIDNIGHT BLUE



MULBERRY



BLACK

Mounting Requirements

SIZE STANDARDS

SINGLE BLINDS

WIDTH

MINIMUM NET WIDTH, BRAIDED LADDERS 6"

MINIMUM NET WIDTH, DECORATIVE TAPES 7 1/2"

MAXIMUM ORDERED WIDTH 72"

HEIGHT

MINIMUM ORDERED HEIGHT 12"

MAXIMUM ORDERED HEIGHT 126"

AREA

SQ. FT.

MAXIMUM SQ. FT. PER SINGLE BLIND 50

MULTIPLE BLINDS ON ONE HEADRAIL

WIDTH

MINIMUM OVERALL NET WIDTH, 2 ON 1 12 1/4"

MINIMUM OVERALL NET WIDTH, 3 ON 1 18 1/2"

MAXIMUM ORDERED WIDTH 96"

HEIGHT

MINIMUM ORDERED HEIGHT 12"

MAXIMUM ORDERED HEIGHT 126"

MAXIMUM NUMBER OF BLINDS 3

SPACE BETWEEN BLINDS (ROUTED) 1/4"

SPACE BETWEEN BLINDS (ROUTLESS) 1/2"

FINISHED DIMENSIONS

INSIDE MOUNT

BLIND WIDTH - 1/2"

BLIND HEIGHT ± 1/8"

OUTSIDE MOUNT

BLIND WIDTH as ordered

BLIND HEIGHT ± 1/8"

VALANCE ALLOWANCE

BACK FACE

NO EXTENSION BRACKET 2 5/8" 3"

SHORT EXTENSION BRACKET 3 3/4" 4 1/8"

LONG EXTENSION BRACKET 5 3/4" 6 1/8"

MOUNTING REQUIREMENTS

INSIDE MOUNT

MINIMUM CASEMENT DEPTH, BRACKET ATTACHMENT 1 1/8"

MINIMUM CASEMENT DEPTH, FULLY RECESSED WITH VALANCE 3"

OUTSIDE MOUNT

MINIMUM FLAT MOUNTING SURFACE HEIGHT 1 3/4"

RECOMMENDED WIDTH

OVERLAP PER SIDE 1 1/2"

LADDER COUNT

LADDER QUANTITY

BLIND WIDTH to 34" WIDE

2 EACH

3 EACH 34 1/8" to 56" WIDE

4 EACH 56 1/8" to 78" WIDE

5 EACH 78 1/8" to 96" WIDE

VALANCE RETURN LENGTHS

BACK FACE

NO EXTENSION BRACKET 2 5/8" 3"

SHORT EXTENSION BRACKET 3 3/4" 4 1/8"

LONG EXTENSION BRACKET 5 3/4" 6 1/8"

STACKING HEIGHTS

BLIND HEIGHT

36" 48" 60" 72" 84" 96" 120"

BRAIDED LADDERS 5 5/8" 6 5/8" 7 1/2" 8 1/2" 9 1/2" 10 1/2" 12 3/8"

CLOTH TAPES 6 1/4" 7 5/8" 8 7/8" 10 1/8" 11 1/2" 12 3/4" 15 3/8"

DECORATIVE TRIMS 7 3/4" 9 1/2" 11 1/4" 13" 14 3/4" 16 1/2" 20"

Headrail and bottomrail included in measurements.

Measurements are approximate.

CONTROL OPTIONS

STANDARD

OPTIONAL

Tilt Left (L), Cord Right (R) Tilt Right (R), Cord Left (L)

Tilt Right (R), Cord Right (R)

Tilt Left (L), Cord Left (L)

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Accurate measurements are absolutely essential. The measurements you provide are used first to price the blind, and then to fabricate it to the specified size. Follow these basic guidelines to ensure a smooth and accurate installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary.


INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the blind fits within the window opening or overlaps the window opening.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide or too long to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".

INSIDE MOUNT



A. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8".

B. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.

C. Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement.

D. Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

E. Measure depth of window for mounting brackets.

OUTSIDE MOUNT



A. Measure the desired width and height. To minimize light leakage, it is recommended that the blind overlap the window opening at least 1 1/2" on each side, as well as at the top and bottom.

B. Measure the width at the location where you want the blind, and use this measurement as your ordering width for the shade.


C. Measure the height from where the top of the blind will be located to where you want the bottom of the shade. A flat vertical surface at least 1 3/4" high is needed.

CUT-OUTS

A cut-out is a small rectangular area removed from a blind to avoid obstructions, usually from one of the corners or from the bottom.

Measure a cut-out like a standard rectangular blind, but also provide detailed measurements of the area to be removed. In addition, mark the measurements on a sketch of the cut-out to ensure accuracy.

SIZE STANDARDS



BOTTOM CENTER CUT-OUT

MINIMUM WIDTH (A)	18"
(C) & (E) MUST BE AT LEAST 7"	
MAXIMUM BLIND WIDTH (A)	96"

MAXIMUM BLIND HEIGHT (B) 126"

Top of cut-out raises to headrail.
Blind may have three bottomrails.

BOTTOM SIDE CUT-OUT

MINIMUM WIDTH (A)	18"
(E) MUST BE 6" OR LESS	
MAXIMUM BLIND WIDTH (A)	96"

MAXIMUM BLIND HEIGHT (B) 126"

Top of cut-out raises to headrail.
Blind may have two bottomrails.

HEADRAIL CUT-OUT

MINIMUM WIDTH (A)	18"
(D) MUST BE 6" OR LESS	
MAXIMUM BLIND WIDTH (A)	96"

MAXIMUM BLIND HEIGHT (B) 126"
Blind raises to bottom of cut-out,
if (E) represents window obstruction.

MEASURING FOR VALANCES AND CORNICES

Since valance and cornice profiles vary in thickness, manufacturing standards and allowances are always taken from the flat, back side of the profile. The shortest available return length is 1/2".

INSIDE MOUNT

• Valance or cornice is fully recessed in opening as a fascia to cover the front of the headrail. Standard width is 1/8" narrower than ordered blind width.

• If a width dimension other than the standard is required, indicate this in special instructions, along with the notation, "exact, no allowances".

MINIMUM MOUNTING DEPTH 1 1/8"
MAXIMUM MOUNTING DEPTH 2 1/8"




PARTIAL INSIDE MOUNT



OUTSIDE MOUNT

• Standard width, without extension brackets, is the blind width + 3/4". The standard valance return length is 2 5/8".

• If a width dimension and/or length other than the standard is required, provide the back inside dimensions for width and return, along with notation, "exact, no allowances".





PRICE GUIDE | 1A

2" WOOD BLINDS

	WIDTH													
LENGTH	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
30"	210	264	323	350	377	418	464	556	571	592	723	758	806	844
36"	264	309	378	391	431	464	540	622	653	672	787	844	895	944
42"	305	363	418	433	479	516	607	696	717	757	882	955	1022	1095
48"	332	391	443	471	518	569	668	759	807	850	978	1070	1145	1211
54"	374	430	491	513	569	626	737	829	899	948	1102	1183	1271	1327
60"	415	451	541	558	619	680	807	899	976	1065	1195	1285	1393	1445
66"	451	486	600	626	668	752	883	986	1073	1139	1299	1405	1517	1623
73"	490	545	619	641	723	815	955	1067	1139	1208	1383	1497	1601	1679
78"	506	574	650	682	745	837	976	1109	1180	1294	1477	1599	1706	1791
84"	545	602	661	701	793	899	1036	1126	1260	1390	1576	1701	1799	1979
90"	586	620	697	745	844	955	1095	1195	1334	1475	1664	1791	1969	2167
96"	605	648	732	766	879	997	1153	1274	1427	1568	1771	1946	2142	2357
102"	629	668	772	801	921	1062	1222	1349	1509	1664	1832	2013	2214	2435
108"	653	696	817	846	964	1115	1290	1416	1586	1747	1920	2112	2323	2554
114"	682	772	857	900	1018	1177	1349	1487	1669	1835	2019	2222	2444	2688
120"	717	816	893	948	1102	1238	1422	1530	1742	1916	2109	2320	2551	2807

MOTORIZATION OPTIONS

Standard Motor.....\$160

Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



NOTES

- We recommend that our actual fabric and paint samples be used for color matching.

- Our wood blinds are made from 100% kiln-dried basswood. Variations in color, grain, texture and stability should be expected due to the nature and characteristics of all woods. These variations will be especially visible in light color stains. The variations are natural and normal, and conform to industry standards. Due to the improved closure of blinds with routless privacy feature, slight bowing may become more noticeable when the slats are closed.

PRICE GUIDE | 2A

2 1/2" WOOD BLINDS

	WIDTH																	
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"				
30"	252	318	388	420	453	502	558	667	684	710	868	910	967	1012				
36"	318	372	454	469	517	558	649	746	784	806	944	1012	1075	1132				
42"	366	436	502	520	574	619	729	836	860	908	1059	1146	1227	1313				
48"	399	469	532	565	623	682	801	911	969	1020	1174	1285	1374	1454				
54"	449	516	590	615	682	751	884	996	1078	1137	1322	1419	1525	1593				
60"	497	540	650	670	743	816	969	1078	1172	1278	1433	1541	1672	1734				
66"	540	583	719	751	801	902	1060	1183	1288	1366	1560	1685	1819	1947				
73"	587	652	743	769	868	979	1146	1280	1366	1450	1659	1796	1921	2014				
78"	607	689	780	817	894	1005	1172	1331	1417	1552	1773	1920	2047	2148				
84"	652	722	793	842	953	1078	1243	1352	1510	1669	1892	2041	2158	2374				
90"	704	745	837	894	1012	1146	1313	1433	1601	1770	1998	2148	2363	2600				
96"	726	778	878	919	1055	1196	1383	1529	1712	1881	2125	2335	2570	2829				
102"	756	801	927	960	1104	1274	1466	1619	1812	1998	2198	2416	2657	2923				
108"	784	836	981	1014	1156	1339	1548	1700	1903	2096	2303	2536	2787	3065				
114"	817	927	1029	1080	1221	1412	1619	1785	2003	2202	2422	2666	2933	3226				
120"	860	980	1071	1137	1322	1484	1706	1837	2091	2299	2531	2784	3061	3368				

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



NOTES

- We recommend that our actual fabric and paint samples be used for color matching.

Our wood blinds are made from 100% kiln-dried basswood. Variations in color, grain, texture and stability should be expected due to the nature and characteristics of all woods. These variations will be especially visible in light color stains. The variations are natural and normal, and conform to industry standards. Due to the improved closure of blinds with routless privacy feature, slight bowing may become more noticeable when the slats are closed.

PRICE GUIDE | 3A

2" WOOD PREMIER BLINDS

	WIDTH																
	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"			
30"	252	318	388	420	453	502	558	667	684	710	868	910	967	1012			
36"	318	372	454	469	517	558	649	746	784	806	944	1012	1075	1132			
42"	366	436	502	520	574	619	729	836	860	908	1059	1146	1227	1313			
48"	399	469	532	565	623	682	801	911	969	1020	1174	1285	1374	1454			
54"	449	516	590	615	682	751	884	996	1078	1137	1322	1419	1525	1593			
60"	497	540	650	670	743	816	969	1078	1172	1278	1433	1541	1672	1734			
66"	540	583	719	751	801	902	1060	1183	1288	1366	1560	1685	1819	1947			
73"	587	652	743	769	868	979	1146	1280	1366	1450	1659	1796	1921	2014			
78"	607	689	780	817	894	1005	1172	1331	1417	1552	1773	1920	2047	2148			
84"	652	722	793	842	953	1078	1243	1352	1510	1669	1892	2041	2158	2374			
90"	704	745	837	894	1012	1146	1313	1433	1601	1770	1998	2148	2363	2600			
96"	726	778	878	919	1055	1196	1383	1529	1712	1881	2125	2335	2570	2829			
102"	756	801	927	960	1104	1274	1466	1619	1812	1998	2198	2416	2657	2923			
108"	784	836	981	1014	1156	1339	1548	1700	1903	2096	2303	2536	2787	3065			
114"	817	927	1029	1080	1221	1412	1619	1785	2003	2202	2422	2666	2933	3226			
120"	860	980	1071	1137	1322	1484	1706	1837	2091	2299	2531	2784	3061	3368			

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



NOTES

- We recommend that our actual fabric and paint samples be used for color matching.

Our wood blinds are made from 100% kiln-dried basswood. Variations in color, grain, texture and stability should be expected due to the nature and characteristics of all woods. These variations will be especially visible in light color stains. The variations are natural and normal, and conform to industry standards. Due to the improved closure of blinds with routless privacy feature, slight bowing may become more noticeable when the slats are closed.

SURCHARGES

WOOD BLIND UPGRADES

Multiple Blinds.....Price individual blinds, add together
Routless Blinds.....Blind price +\$20 per blind

CUT-OUTS

CLOTH TAPE

2" Cloth Tape.....+ 20%

CROWN VALANCE UPGRADE

Crown Valance Upgrade.....\$5 per blind

STANDARD



3 1/2" Colonial Valance

UPGRADE



3 1/4"Crown Valance



POLY BLINDS

Designed to perform, AHD's Everpoly collection offer the natural look of wood blinds with even more durability. Made from materials other than wood, these blinds won't warp or crack, even in humid conditions, making these blinds ideal for applications such as kitchens and bathrooms. Featuring a variety of natural looking finishes to compliment your style, these blinds are a stylish, economical alternative to wood blinds.



OPERATING SYSTEMS



LIFT & LOCK™ CORDLESS

Eliminates the danger of exposed cords and is easily adjusted by simply lifting or lowering the shade with a gentle push or pull on the bottomrail.



STANDARD CORD LOCK

Traditional cord operated blinds that raise from the bottom and stacks at the top for a simple, classic look.



2-ON-1 HEADRAIL

For large single windows, or two large windows side by side, this specialty shade provides the appearance of a single shade, with two sections operating independently.



3-ON-1 HEADRAIL

For very large single windows, or three large windows side by side, this specialty shade provides the appearance of a single shade, with three sections operating independently.

CLOTH TAPE

Our signature edge banding is a fashionable option for your Woven Woods. These cloth tapes will add a more tailored and complete look to your Woven Wood shades and are available in standard and deluxe widths.

Offered in fifteen colors that coordinate with your shades to give you a finished look to your overall decor. Standard cloth tape is equivalent to 1" of tape on the front and back of the shade.



WHITE



DUCK



FAWN



TAUPE



DARK BEIGE



WHEAT



CHERRY



COCOA



CHOCOLATE



OLIVE



FOREST GREEN



MIDNIGHT BLUE



MULBERRY



BLACK

MOUNTING REQUIREMENTS

SIZE STANDARDS

SINGLE BLINDS

WIDTH

MINIMUM

8"

MAXIMUM

96"

HEIGHT

MINIMUM

10"

MAXIMUM

96"

*All blinds 8" OB to 13" OB or 8 1/2" IB to 13 1/2" IB are available with center tilt only, no lift cords.

*Due to weight limitations, Faux Wood Blinds are only available up to 96" in length.

MULTIPLE BLINDS ON ONE HEADRAIL

WIDTH

MINIMUM OVERALL NET WIDTH, 2 ON 1

12 1/4"

MINIMUM OVERALL NET WIDTH, 3 ON 1

18 1/2"

MAXIMUM ORDERED WIDTH

96"

HEIGHT

MINIMUM ORDERED HEIGHT

12"

MAXIMUM ORDERED HEIGHT

126"

MAXIMUM NUMBER OF BLINDS

3

SPACE BETWEEN BLINDS (ROUTED)

1/4"

SPACE BETWEEN BLINDS (ROUTLESS)

1/2"

CONTROL OPTIONS

LIFT CORD

Standard length equals 2/3 of the total blind length ordered.

TIILT CORD

Standard length is 4" less than the length of the lift cord. Minimum length is 20".

TIILT WAND (no charge option)

Available on all Faux Wood Blinds except 2 1/2" slat blinds (cord tilt only).

FINISHED DIMENSIONS

INSIDE MOUNT

BLIND

1/2" less than ordered width

VALANCE

1/8" less than ordered width

OUTSIDE MOUNT

BLIND

as ordered

VALANCE

5/8" greater than ordered width

VALANCE RETURNS

STANDARD

2 1/2"

MULTIPLE BLINDS ON ONE HEADRAIL

GAP BETWEEN BLINDS

3/8"

MOUNTING REQUIREMENTS

2" SLATS

MIN. SHALLOW MOUNTING SURFACE

5/8"

MIN. FLUSH INSIDE MOUNTING SURFACE

2 1/2"

MIN. OUTSIDE MOUNTING SURFACE

3/4"

2 1/2" SLATS

MIN. SHALLOW MOUNTING SURFACE

7/8"

MIN. FLUSH INSIDE MOUNTING SURFACE

2 1/2"

CROWN VALANCE

3 1/2"

MIN. OUTSIDE MOUNTING SURFACE

3/4"

LADDER COUNT

LADDER QUANTITY

BLIND WIDTH

2 EACH

8" to 24" WIDE

3 EACH

36" WIDE

4 EACH

48" WIDE

5 EACH

60" WIDE

6 EACH

72" WIDE

7 EACH

84" WIDE

8 EACH

96" WIDE

STACKING HEIGHTS

BLIND HEIGHT	48"	72"	84"	96"
STACK HEIGHT	7 3/4"	10 1/2"	12"	13 3/8"



MEASURING INSTRUCTIONS

BASIC GUIDELINES

Accurate measurements are absolutely essential. The measurements you provide are used first to price the blind, and then to fabricate it to the specified size. Follow these basic guidelines to ensure a smooth and accurate installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary.


INSIDE OR OUTSIDE MOUNT

How you take your measurements will vary depending upon whether the blind fits within the window opening or overlaps the window opening.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide or too long to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".

INSIDE MOUNT



A. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8".

B. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.

C. Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement.

D. Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

E. Measure depth of window for mounting brackets.

OUTSIDE MOUNT



A. Measure the desired width and height. To minimize light leakage, it is recommended that the blind overlap the window opening at least 1 1/2" on each side, as well as at the top and bottom.

B. Measure the width at the location where you want the blind, and use this measurement as your ordering width for the shade.


C. Measure the height from where the top of the blind will be located to where you want the bottom of the shade. A flat vertical surface at least 1 3/4" high is needed.

CUT-OUTS

A cut-out is a small rectangular area removed from a blind to avoid obstructions, usually from one of the corners or from the bottom.

Measure a cut-out like a standard rectangular blind, but also provide detailed measurements of the area to be removed. In addition, mark the measurements on a sketch of the cut-out to ensure accuracy.


SIZE STANDARDS



BOTTOM CENTER CUT-OUT

MINIMUM WIDTH (A)	18"
(C) & (E) MUST BE AT LEAST 7"	
MAXIMUM BLIND WIDTH (A)	96"
MAXIMUM BLIND HEIGHT (B)	126"


Top of cut-out raises to headrail.
Blind may have three bottomrails.



BOTTOM SIDE CUT-OUT

MINIMUM WIDTH (A)	18"
(E) MUST BE 6" OR LESS	
MAXIMUM BLIND WIDTH (A)	96"
MAXIMUM BLIND HEIGHT (B)	126"

Top of cut-out raises to headrail.
Blind may have two bottomrails.



HEADRAIL CUT-OUT

MINIMUM WIDTH (A)	18"
(D) MUST BE 6" OR LESS	
MAXIMUM BLIND WIDTH (A)	96"
MAXIMUM BLIND HEIGHT (B)	126"

Blind raises to bottom of cut-out,
if (E) represents window obstruction.

MEASURING FOR VALANCES AND CORNICES

Since valance and cornice profiles vary in thickness, manufacturing standards and allowances are always taken from the flat, back side of the profile. The shortest available return length is 1/2".

INSIDE MOUNT

- Valance or cornice is fully recessed in opening as a fascia to cover the front of the headrail. Standard width is 1/8" narrower than ordered blind width.

- If a width dimension other than the standard is required, indicate this in special instructions, along with the notation, "exact, no allowances".


MINIMUM MOUNTING DEPTH 1 1/8"
MAXIMUM MOUNTING DEPTH 2 1/8"



OUTSIDE MOUNT

- Standard width, without extension brackets, is the blind width + 3/4". The standard valance return length is 2 5/8".

- If a width dimension and/or length other than the standard is required, provide the back inside dimensions for width and return, along with notation, "exact, no allowances".





PRICE GUIDE | 1A

2" POLY BLINDS

WIDTH

	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"		
LENGTH	30"	193	239	271	304	351	404	447	497	535	569	598	631	682	737
	36"	237	285	312	351	394	449	490	558	614	641	668	706	730	779
	42"	261	315	338	381	442	504	547	614	642	670	715	777	822	883
	48"	281	339	362	406	474	547	569	670	725	800	827	853	915	982
	54"	305	368	400	451	522	598	651	742	815	887	934	972	1045	1086
	60"	328	390	437	492	559	643	729	794	860	949	1025	1086	1124	1196
	66"	360	409	480	536	612	696	795	883	967	1025	1112	1176	1268	1350
	72"	396	472	515	580	667	754	872	949	1057	1150	1201	1289	1425	1471
	78"	420	500	554	627	716	810	883	1010	1093	1209	1282	1396	1536	1689
	84"	444	529	595	667	759	835	914	1088	1222	1334	1383	1472	1619	1781
	90"	475	561	619	696	815	930	1049	1159	1252	1365	1469	1616	1778	1954
	96"	507	580	636	718	856	959	1086	1213	1313	1463	1517	1668	1833	2018
	102"	521	593	667	751	875	1006	1141	1273	1416	1536	1689	1822	2046	2248
	108"	557	666	706	794	933	1065	1227	1320	1510	1659	1827	2008	2211	2431
	114"	587	682	738	830	974	1086	1272	1394	1535	1688	1857	2045	2247	2473
	120"	619	715	779	876	1029	1151	1312	1441	1586	1742	1917	2108	2318	2553

MOTORIZATION OPTIONS

Standard Motor.....\$160

Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



PRICE GUIDE | 2A

2" PRINTED POLY

LENGTH	WIDTH													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	
30"	232	286	327	363	420	484	536	596	642	682	718	758	819	884
36"	284	342	374	420	474	537	589	669	737	768	802	848	876	935
42"	313	378	406	457	530	604	657	737	769	804	858	933	987	1059
48"	336	407	435	486	568	657	682	804	869	960	992	1025	1098	1178
54"	366	442	480	541	626	718	781	890	979	1064	1120	1166	1255	1303
60"	392	468	524	591	670	771	875	952	1032	1139	1231	1303	1348	1434
66"	431	491	575	643	735	835	953	1059	1160	1231	1334	1411	1521	1620
73"	475	565	619	696	800	906	1047	1139	1268	1380	1440	1548	1710	1765
78"	504	600	665	752	859	971	1059	1211	1311	1450	1539	1676	1843	2027
84"	534	635	713	800	912	1002	1097	1305	1466	1601	1661	1766	1944	2138
90"	569	674	742	835	979	1116	1259	1392	1503	1638	1762	1939	2133	2345
96"	608	696	764	860	1027	1150	1303	1456	1577	1755	1820	2001	2200	2421
102"	624	712	800	902	1051	1208	1370	1527	1699	1843	2027	2186	2454	2698
108"	668	798	848	952	1119	1278	1472	1584	1811	1991	2192	2409	2653	2916
114"	704	819	886	997	1170	1303	1526	1672	1841	2025	2229	2453	2697	2967
120"	742	858	935	1052	1235	1381	1576	1728	1902	2091	2301	2530	2782	3064

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



PRICE GUIDE | 3A

2" WOOD GRAIN POLY BLINDS

WIDTH	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	
	30"	313	389	439	493	568	653	724	805	867	922	969	1023	1106
36"	383	463	505	568	640	726	794	903	995	1037	1083	1145	1183	
42"	423	510	548	617	716	817	887	995	1041	1087	1158	1260	1332	
48"	454	549	587	659	767	887	921	1087	1173	1296	1339	1382	1482	
54"	494	597	648	730	846	969	1054	1202	1322	1436	1512	1574	1694	
60"	529	632	707	798	905	1042	1181	1285	1395	1538	1659	1759	1820	
66"	582	663	776	868	991	1127	1287	1431	1566	1659	1801	1906	2056	
73"	641	764	836	940	1080	1222	1413	1538	1712	1863	1945	2088	2309	
78"	680	810	898	1015	1161	1312	1431	1636	1770	1958	2078	2263	2488	
84"	721	857	963	1080	1230	1353	1481	1762	1980	2161	2242	2384	2624	
90"	768	910	1003	1127	1322	1508	1698	1879	2029	2211	2379	2618	2880	
96"	821	940	1031	1162	1386	1554	1759	1966	2128	2369	2457	2701	2970	
102"	998	961	1080	1218	1418	1631	1848	2061	2294	2488	2736	2951	3314	
108"	902	1079	1145	1285	1511	1725	1987	2140	2446	2689	2961	3252	3583	
114"	950	1106	1196	1345	1577	1759	2060	2257	2487	2735	3009	3313	3641	
120"	1002	1158	1261	1419	1667	1864	2125	2336	2569	2823	3105	3416	3756	

MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



PRICE GUIDE | 4A

2 1/2" POLY BLINDS

	WIDTH													
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	
H 30"	232	286	327	363	420	484	536	596	642	682	718	758	819	884
L 36"	284	342	374	420	474	537	589	669	737	768	802	848	876	935
42"	313	378	406	457	530	604	657	737	769	804	858	933	987	1059
48"	336	407	435	486	568	657	682	804	869	960	992	1025	1098	1178
54"	366	442	480	541	626	718	781	890	979	1064	1120	1166	1255	1303
60"	392	468	524	591	670	771	875	952	1032	1139	1231	1303	1348	1434
66"	431	491	575	643	735	835	953	1059	1160	1231	1334	1411	1521	1620
73"	475	565	619	696	800	906	1047	1139	1268	1380	1440	1548	1710	1765
78"	504	600	665	752	859	971	1059	1211	1311	1450	1539	1676	1843	2027
84"	534	635	713	800	912	1002	1097	1305	1466	1601	1661	1766	1944	2138
90"	569	674	742	835	979	1116	1259	1392	1503	1638	1762	1939	2133	2345
96"	608	696	764	860	1027	1150	1303	1456	1577	1755	1820	2001	2200	2421
102"	624	712	800	902	1051	1208	1370	1527	1699	1843	2027	2186	2454	2698
108"	668	798	848	952	1119	1278	1472	1584	1811	1991	2192	2409	2653	2916
114"	704	819	886	997	1170	1303	1526	1672	1841	2025	2229	2453	2697	2967
120"	742	858	935	1052	1235	1381	1576	1728	1902	2091	2301	2530	2782	3064


MOTORIZATION OPTIONS

Standard Motor.....\$160
Remote Control*.....\$80

CORDLESS OPTIONS

Cordless.....\$35

SWATCHES



SURCHARGES

POLY BLIND UPGRADES

Multiple Blinds.....Price individual blinds, add together
Routless Blinds.....Blind price +\$20 per blind

CUT-OUTS

Headrail Right/Left Cut-Out.....\$25

CLOTH TAPE

2" Cloth Tape.....+ 20%

Builders Poly Express

A large selection of pre-made 2" poly blinds in color white, boxed and ready for ship or pick up.
List of sizes are available upon request.

Cut down Option

Width Cut down.....\$5
Height Shortening.....\$5

Color



White



MINI BLINDS

The first choice in window coverings, our Aluminum Blinds combine cost-effective features and fabrication options to offer you versatile window covering option.

Not only are these blinds incredibly durable, they also provide more energy efficiency option than most window coverings. With a variety of styles and colors, aluminum blinds are a perfect choice to add to your throughout your home.



OPERATING SYSTEMS

1" DELUXE

- Spring-tempered 8 gauge slats
- Heavy-duty headrail with integrated valance a smooth, reliable operation
- Privacy option
- Crash-proof cordlock and cast metal slip-clutch tilter provide smooth, reliable operation.

1" TRADITIONAL

- Spring-tempered 6 gauge slats
- Selection of 8 gauge slat colors also available
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter ensures a smooth, reliable operation
- Two slat valance and clips or two slat channel valance

1" BASIC

- Spring-tempered 6 gauge slats
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter ensures a smooth, reliable operation
- Two slat valance and clips standard

1" VALUE

- Spring-tempered 6 gauge slats
- Heavy-duty standard headrail with crash-proof cordlock and cast metal slip-clutch tilter ensures a smooth, reliable operation
- Two slat valance and clips standard

2" MACRO

- Selection of 8 gauge slat colors
- Heavy-duty low profile standard headrail with crash-proof cordlock and cast metal slip-clutch tilter ensures a smooth, reliable operation
- Slat valance and clips or channel valance

MOUNTING REQUIREMENTS

1" DELUXE

INSIDE MOUNT

MINIMUM DEPTH	7/8"
MINIMUM, FLUSH MOUNT	1 1/4"

OUTSIDE MOUNT

MINIMUM	5/8"
RAIL-TO-MOUNT CLEARANCE	5/16"
SLAT END-TO MOUNT CLEARANCE	5/16"
RECOMMENDED OVERLAP PER SIDE	1 1/2"

1" TRADITIONAL

INSIDE MOUNT

MINIMUM DEPTH	1 3/8"
MINIMUM, FLUSH MOUNT	2 1/4"

OUTSIDE MOUNT

MINIMUM	1 3/8"
RAIL-TO-MOUNT CLEARANCE	5/16"
SLAT END-TO MOUNT CLEARANCE	5/16"
RECOMMENDED OVERLAP PER SIDE	1 1/2"

1" BASIC

INSIDE MOUNT

MINIMUM DEPTH	7/8"
MINIMUM, FLUSH MOUNT	1 1/4"

OUTSIDE MOUNT

MINIMUM	5/8"
RAIL-TO-MOUNT CLEARANCE	5/16"
SLAT END-TO MOUNT CLEARANCE	5/16"
RECOMMENDED OVERLAP PER SIDE	1 1/2"

1" VALUE

INSIDE MOUNT

MINIMUM DEPTH	7/8"
MINIMUM, FLUSH MOUNT	1 1/4"

OUTSIDE MOUNT

MINIMUM	5/8"
RAIL-TO-MOUNT CLEARANCE	5/16"
SLAT END-TO MOUNT CLEARANCE	5/16"
RECOMMENDED OVERLAP PER SIDE	1 1/2"

2" MACRO

INSIDE MOUNT

MINIMUM DEPTH	1 1/8"
MINIMUM, FLUSH MOUNT	3 3/8"

OUTSIDE MOUNT

MINIMUM	1 3/4"
RECOMMENDED OVERLAP PER SIDE	1 1/2"

MEASURING INSTRUCTIONS

BASIC GUIDELINES

Accurate measurements are absolutely essential. The measurements you provide are used first to price the blind, and then to fabricate it to the specified size. Follow these basic guidelines to ensure a smooth and accurate installation:

- Always use a steel tape measure, preferably 3/4" to 1" wide.
- Measure width first, then height.
- Measure each window separately, even if they appear to be the same size.
- Survey the window area carefully and make additional measurements, if necessary. Remember to round down to the nearest 1/8".

INSIDE OR OUTSIDE MOUNT


How you take your measurements will vary depending upon whether the blind fits within the window opening or overlaps the window opening.

ROUNDING YOUR MEASUREMENTS

Dimensions on the order form should be accurate to within 1/8". Generally, round your measurements up to the nearest 1/8". However, with inside mounts, always round the width measurement down to the nearest 1/8". Rounding up could result in a shade that is too wide or too long to fit within the window opening. For example, for an inside mount, 3/16" would round to 1/8".

E. Measure depth of window for mounting brackets.

INSIDE MOUNT




A. Measure the width about 1 1/4" down from the top of the window, which typically is where the installation brackets will be mounted. Remember to round down to the nearest 1/8".

B. Measure the width at the center and bottom of the window. If the width narrows by more than 1" from the top measurement, the customer should consider an outside mount.

C. Measure the height of the window opening at three locations, as shown at right, and order the shortest measurement.

D. Measure window on the diagonal. If the two diagonal dimensions are not exactly the same, it may be more appropriate to specify an outside mount shade for optimal light control and privacy.

OUTSIDE MOUNT



A. Measure the desired width and height. To minimize light leakage, it is recommended that the blind overlap the window opening at least 1 1/2" on each side, as well as at the top and bottom.

B. Measure the width at the location where you want the blind, and use this measurement as your ordering width for the shade.

C. Measure the height from where the top of the blind will be located to where you want the bottom of the shade. A flat vertical surface at least 1 3/4" high is needed.



PRICE GUIDE | 1A

1" MINI BLINDS SOLID COLORS

WIDTH

	23"	26"	29"	32"	36"	40"	44"	48"	52"	57"	62"	67"	72"	82"	92"	102"	112"	116"	124"
LENGTH	110	114	121	125	139	145	156	162	168	189	195	207	216	239	259	289	341	364	388
42"	68	73	79	86	97	105	116	120	128	147	154	164	175	198	217	248	299	322	347
48"	73	79	92	95	110	116	124	132	141	162	172	183	195	217	239	272	329	354	374
54"	79	92	97	101	116	124	135	143	154	175	187	198	211	237	262	292	352	380	405
60"	88	95	101	112	124	135	145	154	167	187	200	213	227	257	284	320	377	411	437
66"	95	101	112	120	135	145	154	169	177	200	213	229	245	274	305	341	405	437	465
72"	99	110	118	128	141	154	167	177	189	217	232	245	262	295	325	366	430	465	503
78"	105	116	124	135	152	164	177	189	202	229	245	262	279	315	347	391	457	493	540
84"	112	122	132	143	162	172	187	200	217	245	260	279	295	333	366	414	482	527	559
90"	118	128	138	152	169	185	198	213	227	257	274	295	312	352	391	437	508	552	587
96"	124	135	145	160	177	195	211	224	239	277	289	309	331	372	411	461	534	581	616
108"	130	141	154	167	187	202	220	237	252	284	307	325	347	393	435	484	559	606	651
114"	135	147	162	175	195	213	232	250	264	297	320	341	364	411	457	508	585	638	682
120"	141	154	169	183	205	224	243	260	279	312	333	341	380	430	475	534	611	666	711
132"	145	162	177	189	213	232	252	272	292	325	349	372	396	452	498	559	638	693	741
144"	154	169	185	198	224	245	262	284	305	339	364	391	416	468	517	581	663	721	772

SWATCHES



SURCHARGES

Mini BLIND UPGRADES

Multiple Blinds.....Price individual blinds, add together
Routless Blinds.....Blind price +\$20 per blind

CUT-OUTS

Bottomrail Center Cut-Out.....\$23
Bottomrail Right/Left Cut-Out.....\$19 per side
Headrail Right/Left Cut-Out.....\$19 per side




MOTORIZATION SURCHARGES

APPLICATIONS


- Fits rectangular window opening
- Standard shades & selected fabrics
- Bracket shims and extension brackets available at no charge (specify on order)
- Battery powered remote control operation is standard; wireless wall switch available on request.

OPERATIONAL METHODS



RADIO CONTROL:

- No aiming necessary
- Control shades individually or in groups.
- Two button operation



INFARED CONTROL:

- Line-of-sight operation
- Control shades individually
- Default mode of remote
- One button operation.

MOTORIZATION OPTIONS

- | | |
|----------------------------|-----------|
| Remote Control* |\$80 |
| Wireless Wall Switch..... | \$160 |
| Daisy Chain Connector..... | \$42 |

*Purchase at least one hand-held remote control per order.



REMOTE
CONTROL




WIRELESS
WALL SWITCH

SATELLITE BATTERY PACK

The satellite battery pack will make changing batteries easier on tall or out-of-reach windows. Four cable lengths available:


Cable Assembly 15"\$28
Cable Assembly 4'\$37
Cable Assembly 10'\$48
Cable Assembly 20'\$72



AC POWER ADAPTER

Eliminate the need for batteries by using the AC adapter with any standard wall outlet. Four cable lengths are available:

Cable Assembly 15"\$28
Cable Assembly 4'\$37
Cable Assembly 10'\$48
Cable Assembly 20'\$72
Satellite Battery Pack\$63



WIFI OPTIONS

AHD Link.....	\$160
Somfy My Link.....	\$200
Bridge	\$200

WARRANTY

ORDERING CONSIDERATIONS

HOW TO PRICE:

- Price using standard shade price grid than add motorized surcharge based on width.
- Add surcharge for at least one remote control
- Add surcharge for any options listed under "motorization options".

CHECKLIST FOR ORDERING:

- Order shade size and specify inside or outside mount
- Price all applicable surcharges
- Specify right or left sensor eye
- Specify number of remotes or wireless wall switches
- If ordering Satellite Battery Pack, specify cable assembly length (15", 5', 10', 20')
- If ordering AC Adapter, specify cable assembly length (15", 5', 10', 20')
- Order number of desired spacer shims

AHD warrants all products to be free of defects in material and workmanship for as long as the original purchaser owns the products, provided that:

- (1) such products were installed in residential dwellings;
- (2) AHD recommendations were followed with regard to limitations and specifications.

Slight warpage, as well as natural variations in color and grain effect are normal with wood products are not considered defects. The obligation of AHD is limited to repair or replacement of the blinds or components found to be defective and excludes shipping charges incurred for the return of the products to consumer by AHD and any other incidental expenses incurred in the removal and reinstallation of the products.

This warranty does not cover and losses or damages resulting from accidents, alterations, misuse, abuse or water damage caused by condensation or failure to follow our instructions with respect to cleaning or proper maintenance.

Warranty claims must be accompanied by the proof of purchase, as well as details regarding the nature of the problem, location of the product and any additional information. In no event shall AHD or its distributors be liable or responsible for incidental or consequential damages, loss, cost, expense or fee. This is the complete warranty by AHD and no other express warranty is valid against AHD. This warranty gives you specific legal rights and you may have other various rights.

GENERAL PRODUCT GUIDELINES

WEAR AND TEAR

It is completely normal that with regular use, window coverings experience a certain amount of wear and tear. Use the following guidelines to determine if your window coverings fall within AHD's limited lifetime warranty.

- Painted Wood Products: 5 years against fading, paint chipping, discoloration or warpage.
- Aluminum Slats: 20 years
- Cords and Ladders: 5 years
- Roller Shades Spring/Chain Mechanism: Lifetime
- Roller Shade Fabric: 3 years
- Tilt and Lift Mechanisms: 5 years

SHUTTER PARTS

DEALER NET CHARGES

Louver Painted	\$10 per Louver
Stain	\$15 per Louver
Rails, Divider (up to 36")	\$20 P \$25 S
Tilt Rod (up to 80")	\$15 P \$20 S
Stiles (up to 80")	\$18 P \$23 S
Frames per/ft	\$4.50 P \$6.50 S
Hanging Strip	\$3.25 per ft
Louver Pins	\$0.40 each
Spring Pins	\$0.65 each
Dowels	\$1 each
Bypass Track	\$2.50 per/ft
Bypass Track Hardware	\$7.50 per set
Hinges Standard	\$2.15 each
Bifold Hinges	\$1.35 each
Wrap-Around hinges	\$2.25 each

SHADE PARTS AND REPAIRS

DEALER NET CHARGES

Cut Down	\$15
Non-AHD Shades	\$25
Headrail Replacement	\$25
Non-AHD Shades	\$35
Bottomrail	\$2/FT.
Cord Replacement	\$15
Slats	.70/FT.
Cord Lock	\$3
Tilter	\$5
Ladder	\$5/10 FT.
Wands	\$5
Hold Down Brackets	\$3/Pack of 10
Spacer Blacks	\$3/Pack of 10
Valance Clips	\$3/Pack of 10
Mounting Brackets	\$3/Pair
Tassels	\$5/Pack of 10
Non-AHD Shades	\$45
Headrail Replacement	\$35
Non-AHD Shades	\$45
Bottomrail	\$3/FT.
Cord/Clutch Replacement	\$25
Replacement Shades FAB	\$5/ SQ. FT.
Cord Lock	\$2
Hold Down Brackets	\$3/Pack of 10
Spacer Blacks	\$3/Pack of 10
Mounting Brackets	\$2/Pair
Tassels	\$3/Pack of 10

THANK YOU

AHD Blind Factory would like to thank our loyal customers for making our success as a company possible. Operating since 1995, it is your support and business that has ensured our growth and has enabled us to provide quality products. Over past years, AHD Blind Factory has been working hard to make sure our customers' needs are attended to with great service and that our products exceed their expectations.

We are committed to establishing partnerships throughout our AHD family and maintain our respected name within the industry. We have been employing innovative technologies throughout the years to meet the future needs of our customers.

As you browse through our catalog, feel free to contact us with any of your questions or comments and you are more than welcome to visit our facilities. We greatly appreciate your contribution which assures us that we are doing our best.

Sincerely,

AHD
The Blind Factory

MARKETING TOOLS

SAMPLE BOOKS

Roller	\$199
Sheer	\$169
Honeycomb Portfolio	\$129
Revolve™	\$99
Plantation Shutter Sample Kit	\$100
Wood/Poly Shutter Portfolio	\$45

COLOR SELECTORS

Wood Blinds	\$20
Wood Premier	\$20
Poly Blinds	\$20
Mini Blinds	\$10

HAND SAMPLES

Wood Blinds	\$15
Poly Blinds	\$15
Mini Blinds	\$20
Roller Shade	\$25
Cellular Shade	\$25
Sheer Shading	\$75
Wood/Poly Shutter	\$75
Revolve™	\$45

ONLINE ORDERING

ahdblindfactory.com

Our online ordering gives you access to:

- Create quotes in minutes
- Double check your profit before placing orders
- View status of your orders online
- View payment reports and pay your invoices online
- Print work orders for your installers
- Special access to online promotions

**Call us today to get your login information
and start saving time and money.**

770.475.6000

**ORDER ONLINE and get
2% off**
November 1st 2020 till October 31st 2021
**On all Custom Blinds, Shades and Shutters
Builders Poly Blinds and Shutter Express excluded.**

ahd-online.com

SHIPPING & DELIVERY

AHD delivers in its own truck across Georgia with scheduled runs.


Delivery charges may apply for some areas.

All other areas are shipped FedEx.

The following are the surcharges for shipping:

Over sized blinds, shades or valances (width 80" & up) \$80/pc

See below for approximate shipping times.





AHD

The Blind Factory

ahdblindfactory.com

(O) 770.475.6000 | (F) 770.442.2859
685 Branch Drive, Alpharetta, GA 30004

